I 11

```
   AAAAAAAAA        CCCCCCCCCCCC  LLL              EEEEEEEEEEEEEEE  DDDDDDDDDDDD     TTTTTTTTTTTTTTT
   AAAAAAAAA        CCCCCCCCCCCC  LLL              EEEEEEEEEEEEEEE  DDDDDDDDDDDD     TTTTTTTTTTTTTTT
   AAAAAAAAA        CCCCCCCCCCCC  LLL              EEEEEEEEEEEEEEE  DDDDDDDDDDDD     TTTTTTTTTTTTTTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEEEEEEEEEEE     DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEEEEEEEEEEE     DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEEEEEEEEEEE     DDD         DDD        TTT
AAAAAAAAAAAAAAA  CCC              LLL              EEE              DDD         DDD        TTT
AAAAAAAAAAAAAAA  CCC              LLL              EEE              DDD         DDD        TTT
AAAAAAAAAAAAAAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA  CCC              LLL              EEE              DDD         DDD        TTT
AAA         AAA     CCCCCCCCCCCC  LLLLLLLLLLLLLLL  EEEEEEEEEEEEEEE  DDDDDDDDDDDD           TTT
AAA         AAA     CCCCCCCCCCCC  LLLLLLLLLLLLLLL  EEEEEEEEEEEEEEE  DDDDDDDDDDDD           TTT
AAA         AAA     CCCCCCCCCCCC  LLLLLLLLLLLLLLL  EEEEEEEEEEEEEEE  DDDDDDDDDDDD           TTT
```

```
**FILE**ID**AEDSUBR                                M 9




  AAAAAA    EEEEEEEEEE  DDDDDDDD      SSSSSSSS  UU      UU  BBBBBBBB    RRRRRRRR
  AAAAAA    EEEEEEEEEE  DDDDDDDD      SSSSSSSS  UU      UU  BBBBBBBB    RRRRRRRR
AA      AA  EE          DD      DD  SS          UU      UU  BB      BB  RR      RR
AA      AA  EE          DD      DD  SS          UU      UU  BB      BB  RR      RR
AA      AA  EE          DD      DD  SS          UU      UU  BB      BB  RR      RR
AA      AA  EE          DD      DD  SS          UU      UU  BB      BB  RR      RR
AA      AA  EEEEEEEE    DD      DD    SSSSSS    UU      UU  BBBBBBBB    RRRRRRRR
AA      AA  EEEEEEEE    DD      DD    SSSSSS    UU      UU  BBBBBBBB    RRRRRRRR
AAAAAAAAAA  EE          DD      DD          SS  UU      UU  BB      BB  RR  RR
AAAAAAAAAA  EE          DD      DD          SS  UU      UU  BB      BB  RR  RR
AA      AA  EE          DD      DD          SS  UU      UU  BB      BB  RR    RR    ....
AA      AA  EE          DD      DD          SS  UU      UU  BB      BB  RR    RR    ....
AA      AA  EEEEEEEEEE  DDDDDDDD    SSSSSSSS    UUUUUUUUUU  BBBBBBBB    RR      RR  ....
AA      AA  EEEEEEEEEE  DDDDDDDD    SSSSSSSS    UUUUUUUUUU  BBBBBBBB    RR      RR  ....

LL              IIIIII      SSSSSSSS
LL              IIIIII      SSSSSSSS
LL                II      SS
LL                II      SS
LL                II      SS
LL                II      SS
LL                II        SSSSSS
LL                II        SSSSSS
LL                II              SS
LL                II              SS
LL                II              SS
LL                II              SS
LLLLLLLLLL    IIIIII    SSSSSSSS
LLLLLLLLLL    IIIIII    SSSSSSSS
```

```
0 MODULE AED$SUBR (
0               LANGUAGE (BLISS32),
0               IDENT = 'V04-000'
0               ) =
1 BEGIN
1
1 !****************************************************************************
1 !*                                                                          *
1 !*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                                 *
1 !*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.                  *
1 !*  ALL RIGHTS RESERVED.                                                    *
1 !*                                                                          *
1 !*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED   *
1 !*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE   *
1 !*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER   *
1 !*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY   *
1 !*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY   *
1 !*  TRANSFERRED.                                                            *
1 !*                                                                          *
1 !*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE   *
1 !*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT   *
1 !*  CORPORATION.                                                            *
1 !*                                                                          *
1 !*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS   *
1 !*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.                 *
1 !*                                                                          *
1 !*                                                                          *
1 !****************************************************************************
1
1 !++
1 !
1 ! FACILITY:     Miscellaneous utilities
1 !
1 ! ABSTRACT:
1 !
1 !       This module contains miscellaneous routines utilized by the
1 !       ACL editor.
1 !
1 ! ENVIRONMENT:
1 !
1 !       VAX/VMS operating system, user mode utilities.
1 !
1 !--
1 !
1 !
1 ! AUTHOR:       L. Mark Pilant          CREATION DATE:  27-Dec-1982  11:45
1 !
1 ! MODIFIED BY:
1 !
1 !       V03-009 LMP0213         L. Mark Pilant,         24-Mar-1984  12:23
1 !               Add support for locking and unlocking the object's ACL.
1 !
1 !       V03-008 LMP0193         L. Mark Pilant,         15-Feb-1984  9:37
1 !               Remove the ACL twiddling in AED_UPDATEACL.  The actual ACL
1 !               modification takes place when the session is ended.
1 !
1 !       V03-007 LMP0181         L. Mark Pilant,         15-Dec-1983  9:52
```

```
1 !                     Change code to use $CHANGE_ACL instead of the ACP to do
1 !                     ACL twiddling.
1 !
1 !             V03-006 LMP0172         L. Mark Pilant,         28-Nov-1983  12:11
1 !                     Numerous bug fixes, support for VT2xx terminals, and a
1 !                     session keystroke logger.
1 !
1 !             V03-005 LMP0103         L. Mark Pilant,         28-Apr-1983  9:45
1 !                     Add support for HIDDEN and PROTECTED ACEs.
1 !
1 !             V03-004 LMP0100         L. Mark Pilant,         14-Apr-1983  12:11
1 !                     Add the $FORMAT_ACL and $PARSE_ACL system services.
1 !
1 !             V03-003 LMP0080         L. Mark Pilant,         16-Feb-1983  15:48
1 !                     Include some additional screen positioning to get around
1 !                     some problems with the new screen package.
1 !
1 !             V03-002 LMP0076         L. Mark Pilant,         2-Feb-1983  14:43
1 !                     Correct a bug that caused an access violation if the last
1 !                     line of the ACL text being compressed was empty.
1 !
1 !             V03-001 LMP0074         L. Mark Pilant,         20-Jan-1983  12:13
1 !                     Correctly handle the RMS journal ACE's by setting or
1 !                     resetting the flags in the header when an ACE is added
1 !                     or deleted.
1 !
1 !**
1
1 LIBRARY 'SYS$LIBRARY:LIB.L32';
1 LIBRARY 'SYS$LIBRARY:TPAMAC.L32';
1 REQUIRE 'SRC$:ACLEDTDEF';
```

```
;     90           0541  1 FORWARD ROUTINE
;     91           0542  1         AED_COMPRESS    : NOVALUE,              ! Compress the screen
;     92           0543  1         AED_SEGSPLIT,                           ! Split segment into two pieces
;     93           0544  1         AED_SEGCOMBINE,                         ! Combine two segments
;     94           0545  1         AED_COPSEGMENT,                         ! Copy segment to working storage
;     95           0546  1         AED_REPSEGMENT,                         ! Replace segment from working storage
;     96           0547  1         AED_POSITION    : NOVALUE,              ! Position to selected line
;     97           0548  1         AED_UPDATEACL,                          ! Update the file's ACL
;     98           0549  1         AED_SET_CURSOR;                         ! Set cursor position & remember
;     99           0550  1
;    100           0551  1 EXTERNAL ROUTINE
;    101           0552  1         AED_PUTOUTPUT;                          ! General purpose output routine
```

```
1 GLOBAL ROUTINE AED_COMPRESS : NOVALUE =
1
1 !++
1 !
1 ! FUNCTIONAL DESCRIPTION:
1 !
1 !       This routine updates the screen display with the most recent copy of
1 !       the text stored in memory.  In updating, and blank lines (DUMMY) are
1 !       eliminated from the display and the line table.
1 !
1 ! CALLING SEQUENCE:
1 !       AED_COMPRESS ()
1 !
1 ! INPUT PARAMETERS:
1 !       none
1 !
1 ! IMPLICIT INPUTS:
1 !       AED_L_BEGINLINE: address of the first line of the display
1 !       AED_Q_LINETABLE: address of the line table list head
1 !
1 ! OUTPUT PARAMETERS:
1 !       none
1 !
1 ! IMPLICIT OUTPUTS:
1 !       none
1 !
1 ! ROUTINE VALUE:
1 !       none
1 !
1 ! SIDE EFFECTS:
1 !       none
1 !
1 !--
1
2 BEGIN
2
2 LOCAL
2       LINES_REMOVED,                          ! Flag indicating output state
2       OUTPUT_DESC     : $BBLOCK [DSC$C_S_BLN],        ! Output line descr
2       CURRENT_LINE    : REF $BBLOCK,          ! Address of current segment
2       NEXT_TEXT_LINE  : REF $BBLOCK,          ! Address of next line segment
2       PREV_TEXT_LINE  : REF $BBLOCK,          ! Address of previous line segment
2       REMOVED_LINE    : REF $BBLOCK,          ! Address of line removed
2       TEMP_LINE;                              ! Current line in the display
2
2 ! Set the starting point.
2
2 TEMP_LINE = 1;
2 LINES_REMOVED = 0;
2 CURRENT_LINE = .AED_L_BEGINLINE;
2
2 DO
3     BEGIN
3     IF .CURRENT_LINE[LINE_V_DUMMY]
3     THEN
4         BEGIN
4         NEXT_TEXT_LINE = .CURRENT_LINE[LINE_L_FLINK];
```

```
:  160         0610 4              PREV_TEXT_LINE = .CURRENT_LINE[LINE_L_BLINK];
:  161         0611 4              IF .AED_L_BEGINLINE EQL .CURRENT_LINE
:  162         0612 4              THEN AED_L_BEGINLINE = .NEXT_TEXT_LINE;
:  163         0613 4              IF .AED_L_FIRSTLINE EQL .CURRENT_LINE
:  164         0614 4              THEN AED_L_FIRSTLINE = .NEXT_TEXT_LINE;
:  165         0615 4              IF .AED_L_LASTLINE EQL .CURRENT_LINE
:  166         0616 4              THEN AED_L_LASTLINE = .CURRENT_LINE[LINE_L_BLINK];
:  167         0617 4              REMQUE (CURRENT_LINE[LINE_L_FLINK], REMOVED_LINE);
:  168         0618 4              IF .REMOVED_LINE[LINE_V_BEGINACE]
:  169         0619 4              THEN IF .NEXT_TEXT_LINE NEQA AED_Q_LINETABLE[LINE_L_FLINK]
:  170         0620 4                   THEN NEXT_TEXT_LINE[LINE_V_BEGINACE] = 1;
:  171         0621 4              IF .REMOVED_LINE[LINE_V_ENDACE]
:  172         0622 4              THEN IF .PREV_TEXT_LINE NEQA AED_Q_LINETABLE[LINE_L_FLINK]
:  173         0623 4                   THEN PREV_TEXT_LINE[LINE_V_ENDACE] = 1;
:  174       P 0624 4              DEALLOCATE (.REMOVED_LINE[LINE_W_SIZE] + $BYTEOFFSET (LINE_T_TEXT),
:  175         0625 4                          REMOVED_LINE);
:  176         0626 4              IF .NEXT_TEXT_LINE EQLA AED_Q_LINETABLE[LINE_L_FLINK]
:  177         0627 4              THEN
:  178         0628 5                  BEGIN
:  179         0629 5                  SCR$ERASE_PAGE (.TEMP_LINE, 1);
:  180         0630 5                  RETURN;
:  181         0631 4                  END;
:  182         0632 4              UNTIL .AED_L_LASTLINE[LINE_V_ENDACE]
:  183         0633 4              DO AED_L_LASTLINE = .AED_L_LASTLINE[LINE_L_FLINK];
:  184         0634 4              CURRENT_LINE = .NEXT_TEXT_LINE;
:  185         0635 4              IF NOT .LINES_REMOVED THEN SCR$ERASE_PAGE (.TEMP_LINE, 1);
:  186         0636 4              LINES_REMOVED = 1;
:  187         0637 4              IF .TEMP_LINE LEQ .AED_B_LINE THEN AED_B_LINE = .AED_B_LINE - 1;
:  188         0638 4              END
:  189         0639 3          ELSE
:  190         0640 4              BEGIN
:  191         0641 4              OUTPUT_DESC[DSC$W_LENGTH] = .CURRENT_LINE[LINE_W_SIZE];
:  192         0642 4              OUTPUT_DESC[DSC$A_POINTER] = CURRENT_LINE[LINE_T_TEXT];
:  193         0643 4              IF .LINES_REMOVED
:  194         0644 4              THEN
:  195         0645 5                  BEGIN
:  196         0646 5                  AED_SET_CURSOR (.TEMP_LINE, 1);
:  197         0647 5                  SCR$ERASE_LINE (.TEMP_LINE, 1);
:  198         0648 5                  AED_PUTOUTPUT (OUTPUT_DESC);
:  199         0649 4                  END;
:  200         0650 4              TEMP_LINE = .TEMP_LINE + 1;
:  201         0651 4              CURRENT_LINE = .CURRENT_LINE[LINE_L_FLINK];
:  202         0652 3              END;
:  203         0653 3          END
:  204         0654 3      UNTIL (.TEMP_LINE GTR 20)
:  205         0655 2          OR (.CURRENT_LINE EQLA AED_Q_LINETABLE[LINE_L_FLINK]);
:  206         0656 2
:  207         0657 2      RETURN;
:  208         0658 2
:  209         0659 1      END;                                                    ! End of routine AED_COMPRESS


                                                                                .TITLE  AED$SUBR
                                                                                .IDENT  \V04-000\

                                                                                .PSECT  AED_COMMON,NOEXE,  OVR,0
```

```
00000 AED_L_FLAGS:
                .BLKB   4
00004 AED_B_OPTIONS:
                .BLKB   1
00005           .BLKB   3
00008 AED_L_OBJTYP:
                .BLKB   4
0000C AED_Q_OBJNAM:
                .BLKB   8
00014 AED_L_WORSTERR:
                .BLKB   4
00018 AED_L_PAGEWIDTH:
                .BLKB   4
0001C AED_L_PAGESIZE:
                .BLKB   4
00020 AED_B_COLUMN:
                .BLKB   1
00021           .BLKB   3
00024 AED_B_LINE:
                .BLKB   1
00025           .BLKB   3
00028 AED_B_SAVE_COL:
                .BLKB   1
00029           .BLKB   3
0002C AED_B_SAVE_LIN:
                .BLKB   1
0002D           .BLKB   3
00030 AED_Q_LINETABLE:
                .BLKB   12
0003C AED_L_CURACE:
                .BLKB   4
00040 AED_L_FIRSTLINE:
                .BLKB   4
00044 AED_L_LASTLINE:
                .BLKB   4
00048 AED_L_BEGINLINE:
                .BLKB   4
0004C AED_W_INPUTLEN:
                .BLKB   2
0004E           .BLKB   2
00050 AED_Q_DEL_ACE:
                .BLKB   8
00058 AED_Q_DEL_LINE:
                .BLKB   8
00060 AED_Q_DEL_WORD:
                .BLKB   8
00068 AED_B_DEL_CHAR:
                .BLKB   1
00069           .BLKB   3
0006C AED_A_ACLBUFFER:
                .BLKB   4
00070 AED_Q_OUTLINE:
                .BLKB   8
00078 AED_W_OBJCHAN:
                .BLKB   2
0007A           .BLKB   2
0007C AED_W_TERMIN:
```

```
                   .BLKB    2
0007E              .BLKB    2
00080 AED_W_TERMOUT:
                   .BLKB    2
00082              .BLKB    2
00084 AED_W_IOSB:
                   .BLKB    8
0008C AED_L_STATUS:
                   .BLKB    4
00090 AED_B_FIELD:
                   .BLKB    1
00091              .BLKB    3
00094 AED_W_FIELDBEG:
                   .BLKB    2
00096              .BLKB    2
00098 AED_W_FIELDEND:
                   .BLKB    2
0009A              .BLKB    2
0009C AED_B_ITEM:
                   .BLKB    1
0009D              .BLKB    3
000A0 AED_W_ITEMBEG:
                   .BLKB    2
000A2              .BLKB    2
000A4 AED_W_ITEMEND:
                   .BLKB    2
000A6              .BLKB    2
000A8 AED_B_ACETYPE:
                   .BLKB    1
000A9              .BLKB    3
000AC AED_W_JOURNAL:
                   .BLKB    2
000AE              .BLKB    2
000B0 AED_T_CURLINE:
                   .BLKB    532
002C4 AED_W_TOTALSIZE:
                   .BLKB    2
002C6              .BLKB    2
002C8 JOURNAL_FAB:
                   .BLKB    80
00318 JOURNAL_NAM:
                   .BLKB    96
00378 JOURNAL_RAB:
                   .BLKB    68
003BC JOURNAL_XABPRO:
                   .BLKB    88
00414 JOURNAL_BUFFER:
                   .BLKB    10
0041E              .BLKB    2
00420 JOURNAL_INDEX:
                   .BLKB    4
00424 RECOVER_FAB:
                   .BLKB    80
00474 RECOVER_NAM:
                   .BLKB    96
004D4 RECOVER_RAB:
                   .BLKB    68
```

```
                                         00518 RECOVER_BUFFER:
                                                        .BLKB    10
                                         00522          .BLKB    2
                                         00524 RECOVER_INDEX:
                                                        .BLKB    4

                                                        .EXTRN   CLI$GET_VALUE, CLI$PRESENT
                                                        .EXTRN   LIB$FREE_VM, LIB$GET_VM
                                                        .EXTRN   LIB$TPARSE, SCR$DOWN_SCROLL
                                                        .EXTRN   SCR$ERASE_LINE, SCR$ERASE_PAGE
                                                        .EXTRN   SCR$SET_CURSOR, SCR$SET_SCROLL
                                                        .EXTRN   SCR$UP_SCROLL, AED$_OBJLOCKED
                                                        .EXTRN   AED$_BADKEEP, AED$_LOCATERR
                                                        .EXTRN   AED$_INIREADERR
                                                        .EXTRN   AED$_JOUWRITERR
                                                        .EXTRN   AED$_JOUOPENOUT
                                                        .EXTRN   AED$_JOUCLOSOUT
                                                        .EXTRN   AED$_RECREADERR
                                                        .EXTRN   AED$_RECOPENIN, AED$_RECLOSEIN
                                                        .EXTRN   AED$_BADUIC, AED$_BADGRPMEM
                                                        .EXTRN   AED$_SYNTAX, AED$_BADTYPE
                                                        .EXTRN   AED$_NOITEMSEL, AED$_MUSTENTER
                                                        .EXTRN   AED$_INIOPENIN, AED$_INICLOSIN
                                                        .EXTRN   AED$_DEFSYNTAX, AED$_NODELETE
                                                        .EXTRN   AED$_NOMODIFY, AED$_NOHIDDEN
                                                        .EXTRN   AED$_DUPLICATE, AED$_NOCOMBINE
                                                        .EXTRN   AED$_NODEFAULT, AED$_NOCTRLCHAR
                                                        .EXTRN   AED$_NOTFOUND, AED$_CONTROL_C
                                                        .EXTRN   AED$_ACLUPDATED
                                                        .EXTRN   AED$_NOCHANGE, AED_PUTOUTPUT

                                                        .PSECT   $CODE$,NOWRT,2

                                    01FC 00000          .ENTRY   AED_COMPRESS, Save R2,R3,R4,R5,R6,R7,R8      ; 0553
                 58 00000000G   00   9E 00002           MOVAB    SCR$ERASE_PAGE, R8                           ;
                 57     0000'   CF   9E 00009           MOVAB    AED_L_LASTLINE, R7                           ;
                 5E             10   C2 0000E           SUBL2    #16, SP                                      ;
                 54             01   D0 00011           MOVL     #1, TEMP_LINE                                ; 0600
                                56   D4 00014           CLRL     LINES_REMOVED                                ; 0601
                 52       04    A7   D0 00016           MOVL     AED_L_BEGINLINE, CURRENT_LINE                ; 0602
 03         0A   A2             02   E0 0001A 1$:       BBS      #2, 10(CURRENT_LINE), 2$                     ; 0606
                              00A0   31 0001F           BRW      11$                                          ;
                 53             62   D0 00022 2$:       MOVL     (CURRENT_LINE), NEXT_TEXT_LINE               ; 0609
                 55       04    A2   D0 00025           MOVL     4(CURRENT_LINE), PREV_TEXT_LINE              ; 0610
                 52       04    A7   D1 00029           CMPL     AED_L_BEGINLINE, CURRENT_LINE                ; 0611
                                04   12 0002D           BNEQ     3$                                           ;
            04   A7             53   D0 0002F           MOVL     NEXT_TEXT_LINE, AED_L_BEGINLINE              ; 0612
                 52       FC    A7   D1 00033 3$:       CMPL     AED_L_FIRSTLINE, CURRENT_LINE                ; 0613
                                04   12 00037           BNEQ     4$                                           ;
            FC   A7             53   D0 00039           MOVL     NEXT_TEXT_LINE, AED_L_FIRSTLINE              ; 0614
                 52             67   D1 0003D 4$:       CMPL     AED_L_LASTLINE, CURRENT_LINE                 ; 0615
                                04   12 00040           BNEQ     5$                                           ;
                 67       04    A2   D0 00042           MOVL     4(CURRENT_LINE), AED_L_LASTLINE              ; 0616
            04   AE             62   0F 00046 5$:       REMQUE   (CURRENT_LINE), REMOVED_LINE                 ; 0617
                 50       04    AE   D0 0004A           MOVL     REMOVED_LINE, R0                             ; 0618
                 0D       0A    A0   E9 0004E           BLBC     10(R0), 6$                                   ;
                 51       EC    A7   9E 00052           MOVAB    AED_Q_LINETABLE, R1                          ; 0619
```

```
                                  51                53 D1 00056       CMPL    NEXT_TEXT_LINE, R1                      ;
                                                    04 13 00059       BEQL    6$                                      ;
                            0A    A3                01 88 0005B       BISB2   #1, 10(NEXT_TEXT_LINE)                  ; 0620
                0D          0A    A0                01 E1 0005F 6$:   BBC     #1, 10(R0), 7$                          ; 0621
                                  51        EC      A7 9E 00064       MOVAB   AED_Q_LINETABLE, R1                     ; 0622
                                  51                55 D1 00068       CMPL    PREV_TEXT_LINE, R1                      ;
                                                    04 13 0006B       BEQL    7$                                      ;
                            0A    A5                02 88 0006D       BISB2   #2, 10(PREV_TEXT_LINE)                  ; 0623
                                            04      AE 9F 00071 7$:   PUSHAB  REMOVED_LINE                            ; 0625
                            04    AE        08      A0 3C 00074       MOVZWL  8(R0), 4(SP)                            ;
                            04    AE                14 C0 00079       ADDL2   #20, 4(SP)                              ;
                                            04      AE 9F 0007D       PUSHAB  4(SP)                                   ;
                     00000000G    00                02 FB 00080       CALLS   #2, LIB$FREE_VM                         ;
                                  50        EC      A7 9E 00087       MOVAB   AED_Q_LINETABLE, R0                     ; 0626
                                  50                53 D1 0008B       CMPL    NEXT_TEXT_LINE, R0                      ;
                                                    08 12 0008E       BNEQ    8$                                      ;
                                                    01 DD 00090       PUSHL   #1                                      ; 0629
                                                    54 DD 00092       PUSHL   TEMP_LINE                               ;
                                  68                02 FB 00094       CALLS   #2, SCR$ERASE_PAGE                      ;
                                                       04 00097       RET                                             ; 0628
                                  50                67 D0 00098 8$:   MOVL    AED_L_LASTLINE, R0                      ; 0632
                05          0A    A0                01 E0 0009B       BBS     #1, 10(R0), 9$                          ;
                                  67                60 D0 000A0       MOVL    (R0), AED_L_LASTLINE                    ; 0633
                                                    F3 11 000A3       BRB     8$                                      ;
                                  52                53 D0 000A5 9$:   MOVL    NEXT_TEXT_LINE, CURRENT_LINE            ; 0634
                                  07                56 E8 000A8       BLBS    LINES_REMOVED, 10$                      ; 0635
                                                    01 DD 000AB       PUSHL   #1                                      ;
                                                    54 DD 000AD       PUSHL   TEMP_LINE                               ;
                                  68                02 FB 000AF       CALLS   #2, SCR$ERASE_PAGE                      ;
                                  56                01 D0 000B2 10$:  MOVL    #1, LINES_REMOVED                       ; 0636
  54      E0    A7                08                00 ED 000B5       CMPZV   #0, #8, AED_B_LINE, TEMP_LINE           ; 0637
                                                    33 19 000BB       BLSS    13$                                     ;
                                            E0      A7 97 000BD       DECB    AED_B_LINE                              ;
                                                    2E 11 000C0       BRB     13$                                     ; 0606
                            08    AE        08      A2 B0 000C2 11$:  MOVW    8(CURRENT_LINE), OUTPUT_DESC            ; 0641
                            0C    AE        14      A2 9E 000C7       MOVAB   20(R2), OUTPUT_DESC+4                   ; 0642
                                  1C                56 E9 000CC       BLBC    LINES_REMOVED, 12$                      ; 0643
                                                    01 DD 000CF       PUSHL   #1                                      ; 0646
                                                    54 DD 000D1       PUSHL   TEMP_LINE                               ;
                         0000V    CF                02 FB 000D3       CALLS   #2, AED_SET_CURSOR                      ;
                                                    01 DD 000D8       PUSHL   #1                                      ; 0647
                                                    54 DD 000DA       PUSHL   TEMP_LINE                               ;
                     00000000G    00                02 FB 000DC       CALLS   #2, SCR$ERASE_LINE                      ;
                                            08      AE 9F 000E3       PUSHAB  OUTPUT_DESC                             ; 0648
                         0000G    CF                01 FB 000E6       CALLS   #1, AED_PUTOUTPUT                       ;
                                                    54 D6 000EB 12$:  INCL    TEMP_LINE                               ; 0650
                                  52                62 D0 000ED       MOVL    (CURRENT_LINE), CURRENT_LINE            ; 0651
                                  14                54 D1 000F0 13$:  CMPL    TEMP_LINE, #20                          ; 0654
                                                    0C 14 000F3       BGTR    14$                                     ;
                                  50        EC      A7 9E 000F5       MOVAB   AED_Q_LINETABLE, R0                     ; 0655
                                  50                52 D1 000F9       CMPL    CURRENT_LINE, R0                        ;
                                                    03 13 000FC       BEQL    14$                                     ;
                                                  FF19 31 000FE       BRW     1$                                      ;
                                                       04 00101 14$:  RET                                             ; 0659

; Routine Size:  258 bytes,    Routine Base:  $CODE$ + 0000
```

```
1 GLOBAL ROUTINE AED_SEGSPLIT (POSITION, EXACT, FIRST, NO_REPAINT) =
1
1 !++
1 !
1 ! FUNCTIONAL DESCRIPTION:
1 !
1 !       This routine takes the current line segment and splits it up into
1 !       two pieces.  The second piece becomming the new current line.  The
1 !       split will occur at the current position or (usually) after the
1 !       most recent delimiter.
1 !
1 ! CALLING SEQUENCE:
1 !       AED_SEGSPLIT (ARG1, ARG2, ARG3, ARG4)
1 !
1 ! INPUT PARAMETERS:
1 !       ARG1: address of the cell containing the current buffer position
1 !       ARG2: 1 = do the split at the current position
1 !             0 = find the previous delimiter, and split after it
1 !       ARG3: 1 = position to the first line segment
1 !             0 = position to the second (split) segment
1 !       ARG4: 1 = don't repaint the display after splitting line
1 !             0 = repaint the display after splitting the line
1 !
1 ! IMPLICIT INPUTS:
1 !       AED_T_CURLINE: the current line segment
1 !
1 ! OUTPUT PARAMETERS:
1 !       ARG1: address of the cell containing the current buffer position
1 !
1 ! IMPLICIT OUTPUTS:
1 !       none
1 !
1 ! ROUTINE VALUE:
1 !       none
1 !
1 ! SIDE EFFECTS:
1 !       none
1 !
1 !--
1
2 BEGIN
2
2 BIND
2       SEGMENT_SIZE    = AED_T_CURLINE[LINE_W_SIZE] : WORD,
2       BUFFER          = AED_T_CURLINE[LINE_T_TEXT] : VECTOR [,BYTE];
2
2 LOCAL
2       OUTPUT_DESC     : $BBLOCK [DSC$C_S_BLN],          ! Output line descr
2       NEW_TEXT_LINE   : REF $BBLOCK,               ! Addr of new line segment
2       SPLIT_SEGMENT   : REF $BBLOCK,               ! Addr of split portion
2       SPLIT_SIZE,                                  ! Size of split off segment
2       SKIP_CHAR;                                   ! Skip characters in field count
2
2 ! Initialize necessary items.
2
2 CH$FILL (0, DSC$C_S_BLN, OUTPUT_DESC);
2
```

```
  2 ! If this is not an exact split, find the previous delimiter.
  2
  2 IF NOT .EXACT
  2 THEN
  3     BEGIN
  3     DECR J FROM .SEGMENT_SIZE - 1 TO 0
  3     DO
  4         BEGIN
  5         IF (.BUFFER[.J] LSS 'A' OR .BUFFER[.J] GTR 'Z')
  5         AND (.BUFFER[.J] LSS '0' OR .BUFFER[.J] GTR '9')
  4         AND .J LSS ..POSITION
  4         THEN
  5             BEGIN
  5             .POSITION = .J + 1;
  5             EXITLOOP;
  4             END;
  3         END;
  2     END;
  2
  2 ! Split the line up into two segments.  This may cause the second segment to
  2 ! be null if the index was at the end of the segment.  This is OK, as it will
  2 ! be cleaned up when the segment is replaced.
  2
  2 SPLIT_SIZE = .SEGMENT_SIZE - ..POSITION;
P 2 AED_L_STATUS = ALLOCATE (.SPLIT_SIZE + $BYTEOFFSET (LINE_T_TEXT),
  2                          SPLIT_SEGMENT);
  2 IF NOT .AED_L_STATUS
  2 THEN
  3     BEGIN
  3     SIGNAL (.AED_L_STATUS);
  3     RETURN 0;
  2     END;
  2
  2 ! Copy the text from the current line as AED_REPSEGMENT clears out the
  2 ! current line buffer.  Then, replace the modified first part of the original
  2 ! line.
  2
  2 CH$MOVE (.SPLIT_SIZE, BUFFER[..POSITION], SPLIT_SEGMENT[LINE_T_TEXT]);
  2 SEGMENT_SIZE = ..POSITION;
  2 SCR$ERASE_LINE (.AED_B_LINE, .SEGMENT_SIZE + 1);
  2 NEW_TEXT_LINE = AED_REPSEGMENT ();
  2
  2 ! Fill in the necessary information about the split portion of the original
  2 ! line segment.
  2
  2 SPLIT_SEGMENT[LINE_W_SIZE] = .SPLIT_SIZE;
  2 IF .NEW_TEXT_LINE[LINE_V_ENDACE]
  2 THEN SPLIT_SEGMENT[LINE_W_FLAGS] = LINE_M_ENDACE
  2 ELSE SPLIT_SEGMENT[LINE_W_FLAGS] = 0;
  2 NEW_TEXT_LINE[LINE_V_ENDACE] = 0;
  2 SPLIT_SEGMENT[LINE_L_BINACE] = .NEW_TEXT_LINE[LINE_L_BINACE];
  2 INSQUE (SPLIT_SEGMENT[LINE_L_FLINK], NEW_TEXT_LINE[LINE_L_FLINK]);
  2 AED_W_TOTALSIZE = .AED_W_TOTALSIZE + .SPLIT_SIZE;
  2
  2 ! Determine the field index for the split portion of the line.  This is done
  2 ! by counting the number of fields in the first part of the line.
  2
```

```
;  325     0774  2  SKIP_CHAR = 0;
;  326     0775  2  AED_B_FIELD = .NEW_TEXT_LINE[LINE_B_FIELDST];
;  327     0776  2  INCR J FROM 0 TO .NEW_TEXT_LINE[LINE_W_SIZE] - 1
;  328     0777  2  DO
;  329     0778  3      BEGIN
;  330     0779  3      IF .VECTOR [NEW_TEXT_LINE[LINE_T_TEXT], .J; ,BYTE] EQL '['
;  331     0780  3      THEN SKIP_CHAR = 1;
;  332     0781  3      IF .VECTOR [NEW_TEXT_LINE[LINE_T_TEXT], .J; ,BYTE] EQL ']'
;  333     0782  3      THEN SKIP_CHAR = 0;
;  334     0783  3      IF NOT .SKIP_CHAR
;  335     0784  3      THEN
;  336     0785  4          BEGIN
;  337     0786  4          IF .VECTOR [NEW_TEXT_LINE[LINE_T_TEXT], .J; ,BYTE] EQL ','
;  338     0787  4          THEN
;  339     0788  5              BEGIN
;  340     0789  5              IF .AED_B_FIELD GEQ 1 AND .AED_B_ACETYPE NEQ ACE$C_DIRDEF
;  341     0790  5              THEN AED_B_FIELD = 6
;  342     0791  5              ELSE AED_B_FIELD = .AED_B_FIELD + 1;
;  343     0792  4              END;
;  344     0793  4          IF .AED_B_FIELD GEQ 1
;  345     0794  4          THEN
;  346     0795  5              BEGIN
;  347     0796  5              IF .VECTOR [NEW_TEXT_LINE[LINE_T_TEXT], .J; ,BYTE] EQL '='
;  348     0797  5              OR .VECTOR [NEW_TEXT_LINE[LINE_T_TEXT], .J; ,BYTE] EQL '+'
;  349     0798  5              THEN AED_B_FIELD = .AED_B_FIELD + 1;
;  350     0799  4              END;
;  351     0800  3          END;
;  352     0801  2      END;
;  353     0802  2  SPLIT_SEGMENT[LINE_B_FIELDST] = .AED_B_FIELD;
;  354     0803  2
;  355     0804  2  ! Position to the correct segment.
;  356     0805  2
;  357     0806  2  IF .FIRST
;  358     0807  2  THEN
;  359     0808  3      BEGIN
;  360     0809  3      AED_POSITION (.NEW_TEXT_LINE);
;  361     0810  3      AED_COPSEGMENT (.NEW_TEXT_LINE);
;  362     0811  3      INSQUE (AED_T_CURLINE[LINE_L_FLINK], .NEW_TEXT_LINE[LINE_L_BLINK]);
;  363     0812  3      IF .AED_L_FIRSTLINE EQL .NEW_TEXT_LINE
;  364     0813  3      THEN AED_L_FIRSTLINE = AED_T_CURLINE;
;  365     0814  3      IF .AED_L_LASTLINE EQL .NEW_TEXT_LINE
;  366     0815  3      THEN AED_L_LASTLINE = .SPLIT_SEGMENT;
;  367     0816  3      IF .AED_L_BEGINLINE EQL .NEW_TEXT_LINE
;  368     0817  3      THEN AED_L_BEGINLINE = AED_T_CURLINE;
;  369     0818  3      END
;  370     0819  2  ELSE
;  371     0820  3      BEGIN
;  372     0821  3      AED_POSITION (.SPLIT_SEGMENT);
;  373     0822  3      AED_COPSEGMENT (.SPLIT_SEGMENT);
;  374     0823  3      INSQUE (AED_T_CURLINE[LINE_L_FLINK], .SPLIT_SEGMENT[LINE_L_BLINK]);
;  375     0824  3      IF .AED_L_LASTLINE EQL .NEW_TEXT_LINE
;  376     0825  3      THEN AED_L_LASTLINE = AED_T_CURLINE;
;  377     0826  2      END;
;  378     0827  2
;  379     0828  2  ! Now repaint the display.  This is done by either scrolling down and repainting
;  380     0829  2  ! the first part of the display or repainting from the current position to the
;  381     0830  2  ! end of the display (or the end of the ACL).  This is necessary to echo the
```

```
2 ! text from the split portion of the line.
2
2 IF NOT .NO_REPAINT
2 THEN
3     BEGIN
3     IF .AED_B_LINE LEQ 10
3     THEN
4         BEGIN
4         AED_SET_CURSOR (1,1);           ! **** TEMP ****
4         SCR$DOWN_SCROLL ();
4         NEW_TEXT_LINE = .AED_L_BEGINLINE;
4         INCR J FROM 1 TO .AED_B_LINE
4         DO
5             BEGIN
5             OUTPUT_DESC[DSC$W_LENGTH] = .NEW_TEXT_LINE[LINE_W_SIZE];
5             OUTPUT_DESC[DSC$A_POINTER] = NEW_TEXT_LINE[LINE_T_TEXT];
5             AED_SET_CURSOR (.J, 1);
5             AED_PUTOUTPUT (OUTPUT_DESC);
5             SCR$ERASE_LINE (.J, .OUTPUT_DESC[DSC$W_LENGTH] + 1);
5             NEW_TEXT_LINE = .NEW_TEXT_LINE[LINE_L_FLINK];
4             END;
4         END
3     ELSE
4         BEGIN
4         NEW_TEXT_LINE = .AED_T_CURLINE[LINE_L_FLINK];
4         INCR J FROM .AED_B_LINE TO 20
4         DO
5             BEGIN
5             OUTPUT_DESC[DSC$W_LENGTH] = .NEW_TEXT_LINE[LINE_W_SIZE];
5             OUTPUT_DESC[DSC$A_POINTER] = NEW_TEXT_LINE[LINE_T_TEXT];
5             AED_SET_CURSOR (.J, 1);
5             AED_PUTOUTPUT (OUTPUT_DESC);
5             SCR$ERASE_LINE (.J, .OUTPUT_DESC[DSC$W_LENGTH] + 1);
5             NEW_TEXT_LINE = .NEW_TEXT_LINE[LINE_L_FLINK];
5             IF .NEW_TEXT_LINE EQLA AED_Q_LINETABLE[LINE_L_FLINK] THEN EXITLOOP;
4             END;
3         END;
2     END;
2
2 ! Set the cursor position correctly.
2
2 .POSITION = 0;
2 IF .FIRST OR NOT .EXACT
2 THEN .POSITION = .SEGMENT_SIZE;
2
2 AED_B_COLUMN = ..POSITION + 1;
2 AED_SET_CURSOR (.AED_B_LINE, .AED_B_COLUMN);
2
2 RETURN 1;
1 END;                                      ! End of routine AED_SEGSPLIT


                                  SEGMENT_SIZE=        AED_T_CURLINE+8
                                  BUFFER=              AED_T_CURLINE+20
                                          .EXTRN  LIB$SIGNAL
```

```
                                                0FFC 00000          .ENTRY  AED_SEGSPLIT, Save R2,R3,R4,R5,R6,R7,R8,R9,-; 0660
                                                                            R10,R11                                     :
                            5B 00000000G   00     9E 00002          MOVAB   SCR$SET_CURSOR, R11                         :
                            5A 00000000G   00     9E 00009          MOVAB   SCR$ERASE_LINE, R10                         :
                            59     0000'   CF     9E 00010          MOVAB   AED_B_FIELD, R9                             :
                            5E             10     C2 00015          SUBL2   #16, SP                                     :
      08        00          6E             00     2C 00018          MOVC5   #0, (SP), #0, #8, OUTPUT_DESC               : 0715
                                      08   AE        0001D                                                              :
                            31        08   AC     E8 0001F          BLBS    EXACT, 5$                                   : 0719
                            50        28   A9     3C 00023          MOVZWL  SEGMENT_SIZE, J                             : 0722
                                           28     11 00027          BRB     4$                                          :
                            51        34 A940     9A 00029 1$:      MOVZBL  BUFFER[J], R1                               : 0725
                       41   8F             51     91 0002E          CMPB    R1, #65                                     :
                                           06     1F 00032          BLSSU   2$                                          :
                       5A   8F             51     91 00034          CMPB    R1, #90                                     :
                                           17     1B 00038          BLEQU   4$                                          :
                            30             51     91 0003A 2$:      CMPB    R1, #48                                     : 0726
                                           05     1F 0003D          BLSSU   3$                                          :
                            39             51     91 0003F          CMPB    R1, #57                                     :
                                           0D     1B 00042          BLEQU   4$                                          :
                       04   BC             50     D1 00044 3$:      CMPL    J, @POSITION                                : 0727
                                           07     18 00048          BGEQ    4$                                          :
                       04   BC        01   A0     9E 0004A          MOVAB   1(R0), @POSITION                            : 0730
                                           03     11 0004F          BRB     5$                                          : 0729
                            D5             50     F4 00051 4$:      SOBGEQ  J, 1$                                       : 0722
                            58        04   BC     D0 00054 5$:      MOVL    @POSITION, R8                               : 0740
                            56        28   A9     3C 00058          MOVZWL  SEGMENT_SIZE, SPLIT_SIZE                    :
                            56             58     C2 0005C          SUBL2   R8, SPLIT_SIZE                              :
                            04             AE     9F 0005F          PUSHAB  SPLIT_SEGMENT                               : 0742
                            52        14   A6     9E 00062          MOVAB   20(R6), R2                                  :
                       04   AE             52     D0 00066          MOVL    R2, 4(SP)                                   :
                                      04   AE     9F 0006A          PUSHAB  4(SP)                                       :
                00000000G   00             02     FB 0006D          CALLS   #2, LIB$GET_VM                              :
                            57             50     D0 00074          MOVL    R0, VM_STATUS                               :
                            07             57     E9 00077          BLBC    VM_STATUS, 6$                               :
      52        00          6E             00     2C 0007A          MOVC5   #0, (SP), #0, R2, @SPLIT_SEGMENT            :
                                      04   BE        0007F                                                              :
                       FC   A9             57     D0 00081 6$:      MOVL    VM_STATUS, AED_L_STATUS                     :
                            50        FC   A9     E8 00085          BLBS    AED_L_STATUS, 10$                           : 0743
                12     FF70 C9             03     E1 00089          BBC     #3, AED_L_FLAGS, 7$                         : 0746
                                           01     DD 0008F          PUSHL   #1                                          :
                                           15     DD 00091          PUSHL   #21                                         :
                00000000G   00             02     FB 00093          CALLS   #2, SCR$ERASE_PAGE                          :
                                           01     DD 0009A          PUSHL   #1                                          :
                                           15     DD 0009C          PUSHL   #21                                         :
                            6B             02     FB 0009E          CALLS   #2, SCR$SET_CURSOR                          :
                                      FC   A9     DD 000A1 7$:      PUSHL   AED_L_STATUS                                :
                00000000G   00             01     FB 000A4          CALLS   #1, LIB$SIGNAL                              :
                0B     FF70 C9             03     E1 000AB          BBC     #3, AED_L_FLAGS, 8$                         :
                            7E        90   A9     9A 000B1          MOVZBL  AED_B_COLUMN, -(SP)                         :
                            7E        94   A9     9A 000B5          MOVZBL  AED_B_LINE, -(SP)                           :
                            6B             02     FB 000B9          CALLS   #2, SCR$SET_CURSOR                          :
                            50        FC   A9     D0 000BC 8$:      MOVL    AED_L_STATUS, R0                            :
                            07             50     93 000C0          BITB    R0, #7                                      :
                                           11     13 000C3          BEQL    9$                                          :
      51        50          03             00     EF 000C5          EXTZV   #0, #3, R0, R1                              :
      51     84 A9          03             00     ED 000CA          CMPZV   #0, #3, AED_L_WORSTERR, R1                  :
```

```
                                  04 18 000D0      BGEQ    9$                                    ;
                84    A9          50 D0 000D2      MOVL    R0, AED_L_WORSTERR                    ;
                                01BA 31 000D6 9$:  BRW     33$                                   ; 0747
                      57    04    AE D0 000D9 10$: MOVL    SPLIT_SEGMENT, R7                     ; 0754
  14    A7      34  A948          56 28 000DD      MOVC3   SPLIT_SIZE, BUFFER[R8], 20(R7)        ;
                28    A9          58 B0 000E4      MOVW    R8, SEGMENT_SIZE                      ; 0755
                      7E    28    A9 3C 000E8      MOVZWL  SEGMENT_SIZE, -(SP)                   ; 0756
                                  6E D6 000EC      INCL    (SP)                                  ;
                      7E    94    A9 9A 000EE      MOVZBL  AED_B_LINE, -(SP)                     ;
                      6A          02 FB 000F2      CALLS   #2, SCR$ERASE_LINE                    ;
             0000V    CF          00 FB 000F5      CALLS   #0, AED_REPSEGMENT                    ; 0757
                      53          50 D0 000FA      MOVL    R0, NEW_TEXT_LINE                     ;
                08    A7          56 B0 000FD      MOVW    SPLIT_SIZE, 8(R7)                     ; 0762
        06      0A    A3          01 E1 00101      BBC     #1, 10(NEW_TEXT_LINE), 11$            ; 0763
                0A    A7          02 B0 00106      MOVW    #2, 10(R7)                            ; 0764
                                  03 11 0010A      BRB     12$                                   ;
                            0A    A7 B4 0010C 11$: CLRW    10(R7)                                ; 0765
                0A    A3          02 8A 0010F 12$: BICB2   #2, 10(NEW_TEXT_LINE)                 ; 0766
                0C    A7    0C    A3 D0 00113      MOVL    12(NEW_TEXT_LINE), 12(R7)             ; 0767
                      63          67 0E 00118      INSQUE  (R7), (NEW_TEXT_LINE)                 ; 0768
              0234    C9          56 A0 0011B      ADDW2   SPLIT_SIZE, AED_W_TOTALSIZE           ; 0769
                                  54 D4 00120      CLRL    SKIP_CHAR                             ; 0774
                      69    10    A3 90 00122      MOVB    16(NEW_TEXT_LINE), AED_B_FIELD        ; 0775
                      55    08    A3 3C 00126      MOVZWL  8(NEW_TEXT_LINE), R5                  ; 0776
                      50    14    A3 9E 0012A      MOVAB   20(NEW_TEXT_LINE), R0                 ; 0779
                      52          01 CE 0012E      MNEGL   #1, J                                 ;
                                  3E 11 00131      BRB     19$                                   ;
                      51        6240 9A 00133 13$: MOVZBL  (J)[R0], R1                           ;
                5B    8F          51 91 00137      CMPB    R1, #91                               ;
                                  03 12 0013B      BNEQ    14$                                   ;
                      54          01 D0 0013D      MOVL    #1, SKIP_CHAR                         ; 0780
                5D    8F          51 91 00140 14$: CMPB    R1, #93                               ; 0781
                                  02 12 00144      BNEQ    15$                                   ;
                                  54 D4 00146      CLRL    SKIP_CHAR                             ; 0782
                      26          54 E8 00148 15$: BLBS    SKIP_CHAR, 19$                        ; 0783
                      2C          51 91 0014B      CMPB    R1, #44                               ; 0786
                                  11 12 0014E      BNEQ    17$                                   ;
                                  69 95 00150      TSTB    AED_B_FIELD                           ; 0789
                                  0B 13 00152      BEQL    16$                                   ;
                      09    18    A9 91 00154      CMPB    AED_B_ACETYPE, #9                     ;
                                  05 13 00158      BEQL    16$                                   ;
                      69          06 90 0015A      MOVB    #6, AED_B_FIELD                       ; 0790
                                  02 11 0015D      BRB     17$                                   ;
                                  69 96 0015F 16$: INCB    AED_B_FIELD                           ; 0791
                                  69 95 00161 17$: TSTB    AED_B_FIELD                           ; 0793
                                  0C 13 00163      BEQL    19$                                   ;
                      3D          51 91 00165      CMPB    R1, #61                               ; 0796
                                  05 13 00168      BEQL    18$                                   ;
                      2B          51 91 0016A      CMPB    R1, #43                               ; 0797
                                  02 12 0016D      BNEQ    19$                                   ;
                                  69 96 0016F 18$: INCB    AED_B_FIELD                           ; 0798
        BE            52          55 F2 00171 19$: AOBLSS  R5, J, 13$                            ; 0776
                      52    04    AE D0 00175      MOVL    SPLIT_SEGMENT, R2                     ; 0802
                10    A2          69 90 00179      MOVB    AED_B_FIELD, 16(R2)                   ;
                      36    0C    AC E9 0017D      BLBC    FIRST, 22$                            ; 0806
                                  53 DD 00181      PUSHL   NEW_TEXT_LINE                         ; 0809
             0000V    CF          01 FB 00183      CALLS   #1, AED_POSITION                      ;
```

```
                              53  DD 00188          PUSHL   NEW_TEXT_LINE                           : 0810
         0000V  CF            01  FB 0018A          CALLS   #1, AED_COPSEGMENT                      :
            04  B3      20    A9  0E 0018F          INSQUE  AED_T_CURLINE, @4(NEW_TEXT_LINE)        : 0811
                53      B0    A9  D1 00194          CMPL    AED_L_FIRSTLINE, NEW_TEXT_LINE          : 0812
                              05  12 00198          BNEQ    20$                                     :
            B0  A9      20    A9  9E 0019A          MOVAB   AED_T_CURLINE, AED_L_FIRSTLINE          : 0813
                53      B4    A9  D1 0019F 20$:     CMPL    AED_L_LASTLINE, NEW_TEXT_LINE           : 0814
                              05  12 001A3          BNEQ    21$                                     :
            B4  A9      04    AE  D0 001A5          MOVL    SPLIT_SEGMENT, AED_L_LASTLINE           : 0815
                53      B8    A9  D1 001AA 21$:     CMPL    AED_L_BEGINLINE, NEW_TEXT_LINE          : 0816
                              25  12 001AE          BNEQ    23$                                     :
            B8  A9      20    A9  9E 001B0          MOVAB   AED_T_CURLINE, AED_L_BEGINLINE          : 0817
                              1E  11 001B5          BRB     23$                                     : 0806
                              52  DD 001B7 22$:     PUSHL   R2                                      : 0821
         0000V  CF            01  FB 001B9          CALLS   #1, AED_POSITION                        :
                              52  DD 001BE          PUSHL   R2                                      : 0822
         0000V  CF            01  FB 001C0          CALLS   #1, AED_COPSEGMENT                      :
            04  B2      20    A9  0E 001C5          INSQUE  AED_T_CURLINE, @4(R2)                   : 0823
                53      B4    A9  D1 001CA          CMPL    AED_L_LASTLINE, NEW_TEXT_LINE           : 0824
                              05  12 001CE          BNEQ    23$                                     :
            B4  A9      20    A9  9E 001D0          MOVAB   AED_T_CURLINE, AED_L_LASTLINE           : 0825
                4F      10    AC  E8 001D5 23$:     BLBS    NO_REPAINT, 26$                         : 0833
                0A      94    A9  91 001D9          CMPB    AED_B_LINE, #10                         : 0836
                              4B  1A 001DD          BGTRU   27$                                     :
                              01  DD 001DF          PUSHL   #1                                      : 0839
                              01  DD 001E1          PUSHL   #1                                      :
         0000V  CF            02  FB 001E3          CALLS   #2, AED_SET_CURSOR                      :
     00000000G  00            00  FB 001E8          CALLS   #0, SCR$DOWN_SCROLL                     : 0840
                53      B8    A9  D0 001EF          MOVL    AED_L_BEGINLINE, NEW_TEXT_LINE          : 0841
                54      94    A9  9A 001F3          MOVZBL  AED_B_LINE, R4                          : 0842
                              52  D4 001F7          CLRL    J                                       :
                              29  11 001F9          BRB     25$                                     :
            08  AE      08    A3  B0 001FB 24$:     MOVW    8(NEW_TEXT_LINE), OUTPUT_DESC           : 0845
            0C  AE      14    A3  9E 00200          MOVAB   20(R3), OUTPUT_DESC+4                   : 0846
                              01  DD 00205          PUSHL   #1                                      : 0847
                              52  DD 00207          PUSHL   J                                       :
         0000V  CF            02  FB 00209          CALLS   #2, AED_SET_CURSOR                      :
                        08    AE  9F 0020E          PUSHAB  OUTPUT_DESC                             : 0848
         0000G  CF            01  FB 00211          CALLS   #1, AED_PUTOUTPUT                       :
                7E      08    AE  3C 00216          MOVZWL  OUTPUT_DESC, -(SP)                      : 0849
                              6E  D6 0021A          INCL    (SP)                                    :
                              52  DD 0021C          PUSHL   J                                       :
                6A            02  FB 0021E          CALLS   #2, SCR$ERASE_LINE                      :
                53            63  D0 00221          MOVL    (NEW_TEXT_LINE), NEW_TEXT_LINE          : 0850
D3              52            54  F3 00224 25$:     AOBLEQ  R4, J, 24$                              : 0842
                              42  11 00228 26$:     BRB     30$                                     : 0836
                53      20    A9  D0 0022A 27$:     MOVL    AED_T_CURLINE, NEW_TEXT_LINE            : 0855
                52      94    A9  9A 0022E          MOVZBL  AED_B_LINE, J                           : 0856
                              52  D7 00232          DECL    J                                       :
                              32  11 00234          BRB     29$                                     :
            08  AE      08    A3  B0 00236 28$:     MOVW    8(NEW_TEXT_LINE), OUTPUT_DESC           : 0859
            0C  AE      14    A3  9E 0023B          MOVAB   20(R3), OUTPUT_DESC+4                   : 0860
                              01  DD 00240          PUSHL   #1                                      : 0861
                              52  DD 00242          PUSHL   J                                       :
         0000V  CF            02  FB 00244          CALLS   #2, AED_SET_CURSOR                      :
                        08    AE  9F 00249          PUSHAB  OUTPUT_DESC                             : 0862
         0000G  CF            01  FB 0024C          CALLS   #1, AED_PUTOUTPUT                       :
```

```
                                   7E      08   AE  3C 00251          MOVZWL  OUTPUT_DESC, -(SP)                  ; 0863
                                                6E  D6 00255          INCL    (SP)                                ;
                                                52  DD 00257          PUSHL   J                                   ;
                                   6A           02  FB 00259          CALLS   #2, SCR$ERASE_LINE                  ;
                                   53           63  D0 0025C          MOVL    (NEW_TEXT_LINE), NEW_TEXT_LINE      ; 0864
                                   50      A0   A9  9E 0025F          MOVAB   AED_B_LINETABLE, R0                 ; 0865
                                   50           53  D1 00263          CMPL    NEW_TEXT_LINE, R0                   ;
                                                04  13 00266          BEQL    30$                                 ;
                    CA             52           14  F3 00268 29$:     AOBLEQ  #20, J, 28$                         ; 0856
                                           04   BC  D4 0026C 30$:     CLRL    @POSITION                           ; 0872
                                   04      0C   AC  E8 0026F          BLBS    FIRST, 31$                          ; 0873
                                   05      08   AC  E8 00273          BLBS    EXACT, 32$                          ;
                              04   BC      28   A9  3C 00277 31$:     MOVZWL  SEGMENT_SIZE, @POSITION             ; 0874
               90   A9        04   BC           01  81 0027C 32$:     ADDB3   #1, @POSITION, AED_B_COLUMN         ; 0876
                                   7E      90   A9  9A 00282          MOVZBL  AED_B_COLUMN, -(SP)                 ; 0877
                                   7E      94   A9  9A 00286          MOVZBL  AED_B_LINE, -(SP)                   ;
                           0000V   CF           02  FB 0028A          CALLS   #2, AED_SET_CURSOR                  ;
                                   50           01  D0 0028F          MOVL    #1, R0                              ; 0879
                                                    04 00292          RET                                         ;
                                                50  D4 00293 33$:     CLRL    R0                                  ; 0880
                                                    04 00295          RET                                         ;

; Routine Size:  662 bytes,    Routine Base:  $CODE$ + 0102
```

```
1 GLOBAL ROUTINE AED_SEGCOMBINE (POSITION, DIRECTION) =
1
1 !++
1 !
1 ! FUNCTIONAL DESCRIPTION:
1 !
1 !       This routine takes two line segments and combines them into one
1 !       large segment.  If the resulting combined segment is larger than
1 !       the page width, it is split up into two segments.
1 !
1 ! CALLING SEQUENCE:
1 !       AED_SEGCOMBINE (ARG1, ARG2)
1 !
1 ! INPUT PARAMETERS:
1 !       ARG1: address of the cell containing the desired buffer position
1 !       ARG2: 1 = combine current line with next line
1 !             0 = combine current line with previous line
1 !
1 ! IMPLICIT INPUTS:
1 !
1 ! OUTPUT PARAMETERS:
1 !       ARG1: address of the cell to contain the buffer position
1 !
1 ! IMPLICIT OUTPUTS:
1 !       none
1 !
1 ! ROUTINE VALUE:
1 !       none
1 !
1 ! SIDE EFFECTS:
1 !       none
1 !
1 !--
1
2 BEGIN
2
2 BIND
2         SEGMENT_SIZE    = AED_T_CURLINE[LINE_W_SIZE] : WORD;
2
2 LOCAL
2         OUTPUT_DESC     : $BBLOCK [DSC$C_S_BLN],        ! Output line descr
2         NEW_TEXT_LINE   : REF $BBLOCK,          ! Addr of new segment
2         PREV_LINE       : REF $BBLOCK,          ! Addr of previous segment
2         COMBINED_LINE   : REF $BBLOCK,          ! Addr of combined segment
2         REMOVED_LINE    : REF $BBLOCK;          ! Addr of line removed
2
2 ! Initialize any necessary items.
2
2 CH$FILL (0, DSC$C_S_BLN, OUTPUT_DESC);
2
2 ! Determine whether anything can be combined based upon the direction
2 ! of the combination attempt.
2
2 IF .DIRECTION
2 THEN
3     BEGIN
3     IF .AED_T_CURLINE[LINE_L_FLINK] EQLA AED_Q_LINETABLE[LINE_L_FLINK]
```

```
  3        THEN
  4            BEGIN
  4            SIGNAL (AED$_NOCOMBINE);
  4            RETURN 1;
  3            END;
  3        IF .AED_T_CURLINE[LINE_V_ENDACE]
  3        OR
  4            BEGIN
  4            NEW_TEXT_LINE = .AED_T_CURLINE[LINE_L_FLINK];
  4            IF .AED_T_CURLINE[LINE_V_REPLACE]
  4            THEN NEW_TEXT_LINE = .NEW_TEXT_LINE[LINE_L_FLINK];
  4            .NEW_TEXT_LINE[LINE_V_BEGINACE]
  4            END
  3        THEN
  4            BEGIN
  4            SIGNAL (AED$_NOCOMBINE);
  4            RETURN 1;
  3            END;
  3        PREV_LINE = AED_REPSEGMENT ();
  3        NEW_TEXT_LINE = .PREV_LINE[LINE_L_FLINK];
  3        END
  2    ELSE
  3        BEGIN
  3        IF .AED_T_CURLINE[LINE_L_BLINK] EQLA AED_Q_LINETABLE[LINE_L_FLINK]
  3        OR .AED_T_CURLINE[LINE_V_BEGINACE]
  3        THEN
  4            BEGIN
  4            SIGNAL (AED$_NOCOMBINE);
  4            RETURN 1;
  3            END;
  3        NEW_TEXT_LINE = AED_REPSEGMENT ();
  3        PREV_LINE = .NEW_TEXT_LINE[LINE_L_BLINK];
  2        END;
  2
  2    ! Combine the two segments.
  2
P 2    AED_L_STATUS = ALLOCATE (.PREV_LINE[LINE_W_SIZE] +
P 2                             .NEW_TEXT_LINE[LINE_W_SIZE] +
  2                            $BYTEOFFSET (LINE_T_TEXT), COMBINED_LINE);
  2    IF NOT .AED_L_STATUS
  2    THEN
  3        BEGIN
  3        SIGNAL (.AED_L_STATUS);
  3        RETURN 0;
  2        END;
  2
  2    .POSITION = .PREV_LINE[LINE_W_SIZE];
  2    COMBINED_LINE[LINE_W_SIZE] = .PREV_LINE[LINE_W_SIZE] + .NEW_TEXT_LINE[LINE_W_SIZE];
  2    CH$COPY (.PREV_LINE[LINE_W_SIZE], PREV_LINE[LINE_T_TEXT],
  2             .NEW_TEXT_LINE[LINE_W_SIZE], NEW_TEXT_LINE[LINE_T_TEXT],
  2             0,
  2             .COMBINED_LINE[LINE_W_SIZE], COMBINED_LINE[LINE_T_TEXT]);
  2    IF .PREV_LINE[LINE_V_BEGINACE] THEN COMBINED_LINE[LINE_V_BEGINACE] = 1;
  2    IF .NEW_TEXT_LINE[LINE_V_ENDACE] THEN COMBINED_LINE[LINE_V_ENDACE] = 1;
  2    COMBINED_LINE[LINE_L_BINACE] = .PREV_LINE[LINE_L_BINACE];
  2    COMBINED_LINE[LINE_B_FIELDST] = .PREV_LINE[LINE_B_FIELDST];
  2    INSQUE (COMBINED_LINE[LINE_L_FLINK], .PREV_LINE[LINE_L_BLINK]);
```

```
;   547          0995  2  AED_COPSEGMENT (.COMBINED_LINE);
;   548          0996  2  INSQUE (AED_T_CURLINE[LINE_L_FLINK], .COMBINED_LINE[LINE_L_BLINK]);
;   549          0997  2  IF .AED_L_FIRSTLINE EQL .PREV_LINE THEN AED_L_FIRSTLINE = AED_T_CURLINE;
;   550          0998  2  IF .AED_L_LASTLINE EQL .NEW_TEXT_LINE THEN AED_L_LASTLINE = AED_T_CURLINE;
;   551          0999  2  IF .AED_L_BEGINLINE EQL .PREV_LINE OR .AED_L_BEGINLINE EQL .NEW_TEXT_LINE
;   552          1000  2  THEN AED_L_BEGINLINE = AED_T_CURLINE;
;   553          1001  2  REMQUE (PREV_LINE[LINE_L_FLINK], REMOVED_LINE);
;   554        P 1002  2  DEALLOCATE (.REMOVED_LINE[LINE_W_SIZE] + $BYTEOFFSET (LINE_T_TEXT),
;   555          1003  2              REMOVED_LINE);
;   556          1004  2  REMQUE (NEW_TEXT_LINE[LINE_L_FLINK], REMOVED_LINE);
;   557        P 1005  2  DEALLOCATE (.REMOVED_LINE[LINE_W_SIZE] + $BYTEOFFSET (LINE_T_TEXT),
;   558          1006  2              REMOVED_LINE);
;   559          1007  2  IF .COMBINED_LINE[LINE_W_SIZE] GTR .AED_L_PAGEWIDTH
;   560          1008  2  THEN
;   561          1009  3      BEGIN
;   562          1010  3      AED_SEGSPLIT (%REF (.AED_L_PAGEWIDTH - 1), 0, 1, 1);
;   563          1011  3      AED_POSITION (AED_T_CURLINE);
;   564          1012  3      OUTPUT_DESC[DSC$W_LENGTH] = .AED_T_CURLINE[LINE_W_SIZE];
;   565          1013  3      OUTPUT_DESC[DSC$A_POINTER] = AED_T_CURLINE[LINE_T_TEXT];
;   566          1014  3      AED_SET_CURSOR (.AED_B_LINE, 1);
;   567          1015  3      AED_PUTOUTPUT (OUTPUT_DESC);
;   568          1016  3      SCR$ERASE_LINE (.AED_B_LINE, .AED_T_CURLINE[LINE_W_SIZE] + 1);
;   569          1017  3      NEW_TEXT_LINE = .$BBLOCK [.AED_T_CURLINE[LINE_L_FLINK], LINE_L_FLINK];
;   570          1018  3      OUTPUT_DESC[DSC$W_LENGTH] = .NEW_TEXT_LINE[LINE_W_SIZE];
;   571          1019  3      OUTPUT_DESC[DSC$A_POINTER] = NEW_TEXT_LINE[LINE_T_TEXT];
;   572          1020  3      AED_SET_CURSOR (.AED_B_LINE + 1, 1);
;   573          1021  3      AED_PUTOUTPUT (OUTPUT_DESC);
;   574          1022  3      SCR$ERASE_LINE (.AED_B_LINE + 1, .NEW_TEXT_LINE[LINE_W_SIZE] + 1);
;   575          1023  3      END
;   576          1024  2  ELSE
;   577          1025  3      BEGIN
;   578          1026  3      AED_POSITION (AED_T_CURLINE);
;   579          1027  3
;   580          1028  3  ! Since the combined lines fit on one line, it will be necessary to shift
;   581          1029  3  ! all of the lines after the combined line up one.  This is done by either
;   582          1030  3  ! scrolling down and repainting the first part of the display or repainting
;   583          1031  3  ! from the current position to the end of the display (or the end of the ACL).
;   584          1032  3
;   585          1033  3      IF .AED_B_LINE LEQ 10
;   586          1034  3      THEN
;   587          1035  4          BEGIN
;   588          1036  4          AED_SET_CURSOR (20,1);          ! **** TEMP ****
;   589          1037  4          SCR$UP_SCROLL ();
;   590          1038  4          NEW_TEXT_LINE = .AED_L_BEGINLINE;
;   591          1039  4          INCR J FROM 1 TO .AED_B_LINE
;   592          1040  4          DO
;   593          1041  5              BEGIN
;   594          1042  5              OUTPUT_DESC[DSC$W_LENGTH] = .NEW_TEXT_LINE[LINE_W_SIZE];
;   595          1043  5              OUTPUT_DESC[DSC$A_POINTER] = NEW_TEXT_LINE[LINE_T_TEXT];
;   596          1044  5              AED_SET_CURSOR (.J, 1);
;   597          1045  5              AED_PUTOUTPUT (OUTPUT_DESC);
;   598          1046  5              SCR$ERASE_LINE (.J, .OUTPUT_DESC[DSC$W_LENGTH] + 1);
;   599          1047  5              NEW_TEXT_LINE = .NEW_TEXT_LINE[LINE_L_FLINK];
;   600          1048  4              END;
;   601          1049  4          END
;   602          1050  3      ELSE
;   603          1051  4          BEGIN
;   604         1052  4            IF .AED_L_FLAGS[AED_V_ENDACL]
;   605         1053  4            THEN NEW_TEXT_LINE = AED_T_CURLINE
;   606         1054  4            ELSE NEW_TEXT_LINE = .AED_T_CURLINE[LINE_L_FLINK];
;   607         1055  4            INCR J FROM .AED_B_LINE TO 20
;   608         1056  4            DO
;   609         1057  5                BEGIN
;   610         1058  5                IF .NEW_TEXT_LINE EQLA AED_Q_LINETABLE[LINE_L_FLINK]
;   611         1059  5                THEN
;   612         1060  6                    BEGIN
;   613         1061  6                    IF .J LSS 20 THEN SCR$ERASE_PAGE (.J, 1);
;   614         1062  6                    EXITLOOP;
;   615         1063  5                    END;
;   616         1064  5                OUTPUT_DESC[DSC$W_LENGTH] = .NEW_TEXT_LINE[LINE_W_SIZE];
;   617         1065  5                OUTPUT_DESC[DSC$A_POINTER] = NEW_TEXT_LINE[LINE_T_TEXT];
;   618         1066  5                AED_SET_CURSOR (.J, 1);
;   619         1067  5                AED_PUTOUTPUT (OUTPUT_DESC);
;   620         1068  5                SCR$ERASE_LINE (.J, .OUTPUT_DESC[DSC$W_LENGTH] + 1);
;   621         1069  5                NEW_TEXT_LINE = .NEW_TEXT_LINE[LINE_L_FLINK];
;   622         1070  4                END;
;   623         1071  3            END;
;   624         1072  2        END;
;   625         1073  2    AED_B_COLUMN = ..POSITION + 1;
;   626         1074  2    AED_SET_CURSOR (.AED_B_LINE, .AED_B_COLUMN);
;   627         1075  2
;   628         1076  2    RETURN 1;
;   629         1077  2
;   630         1078  1    END;                                          ! End of routine AED_SEGCOMBINE


                                                         SEGMENT_SIZE=        AED_T_CURLINE+8


                                                 0FFC 00000          .ENTRY   AED_SEGCOMBINE, Save R2,R3,R4,R5,R6,R7,R8,-  ; 0881
                                                                              R9,R10,R11                                   ;
                                 5E              14   C2 00002       SUBL2    #20, SP                                      ;
       08             00         6E              00   2C 00005       MOVC5    #0, (SP), #0, #8, OUTPUT_DESC                ; 0929
                                           0C    AE      0000A                                                             ;
                                 6B        08    AC   E9 0000C       BLBC     DIRECTION, 6$                                ; 0934
                                 50     0000'    CF   9E 00010       MOVAB    AED_Q_LINETABLE, R0                          ; 0937
                                 50     0000'    CF   D1 00015       CMPL     AED_T_CURLINE, R0                            ;
                                                 09   12 0001A       BNEQ     1$                                           ;
                      70    0000'   CF           03   E0 0001C       BBS      #3, AED_L_FLAGS, 8$                          ; 0940
                                               0083   31 00022       BRW      9$                                           ;
                      12    0000'   CF           01   E0 00025 1$:   BBS      #1, AED_T_CURLINE+10, 3$                     ; 0943
                                 58     0000'    CF   D0 0002B       MOVL     AED_T_CURLINE, NEW_TEXT_LINE                 ; 0946
                      03    0000'   CF           03   E1 00030       BBC      #3, AED_T_CURLINE+10, 2$                     ; 0947
                                 58              68   D0 00036       MOVL     (NEW_TEXT_LINE), NEW_TEXT_LINE               ; 0948
                                 31        0A    A8   E9 00039 2$:   BLBC     10(NEW_TEXT_LINE), 5$                        ; 0949
                      16    0000'   CF           03   E1 0003D 3$:   BBC      #3, AED_L_FLAGS, 4$                          ; 0953
                                                 01   DD 00043       PUSHL    #1                                           ;
                                                 15   DD 00045       PUSHL    #21                                          ;
                         00000000G  00           02   FB 00047       CALLS    #2, SCR$ERASE_PAGE                           ;
                                                 01   DD 0004E       PUSHL    #1                                           ;
                                                 15   DD 00050       PUSHL    #21                                          ;
                         00000000G  00           02   FB 00052       CALLS    #2, SCR$SET_CURSOR                           ;
                                    00000000G    8F   DD 00059 4$:   PUSHL    #AED$_NOCOMBINE                              ;
```

```
                             00000000G  00             01  FB 0005F          CALLS   #1, LIB$SIGNAL                                           :
                          4F     0000'  CF             03  E0 00066          BBS     #3, AED_L_FLAGS, 10$                                     :
                                                       5E  11 0006C          BRB     11$                                                      :
                                 0000V  CF             00  FB 0006E 5$:      CALLS   #0, AED_REPSEGMENT                                       : 0956
                                        57             50  D0 00073          MOVL    R0, PREV_LINE                                            :
                                        58             67  D0 00076          MOVL    (PREV_LINE), NEW_TEXT_LINE                               : 0957
                                                       7E  11 00079          BRB     14$                                                      : 0934
                                        50      0000'  CF  9E 0007B 6$:      MOVAB   AED_Q_LINETABLE, R0                                      : 0961
                                        50      0000'  CF  D1 00080          CMPL    AED_T_CURLINE+4, R0                                      :
                                                       05  13 00085          BEQL    7$                                                       :
                                        61      0000'  CF  E9 00087          BLBC    AED_T_CURLINE+10, 13$                                    : 0962
                          16     0000'  CF             03  E1 0008C 7$:      BBC     #3, AED_L_FLAGS, 9$                                      : 0965
                                                       01  DD 00092 8$:      PUSHL   #1                                                       :
                                                       15  DD 00094          PUSHL   #21                                                      :
                             00000000G  00             02  FB 00096          CALLS   #2, SCR$ERASE_PAGE                                       :
                                                       01  DD 0009D          PUSHL   #1                                                       :
                                                       15  DD 0009F          PUSHL   #21                                                      :
                             00000000G  00             02  FB 000A1          CALLS   #2, SCR$SET_CURSOR                                       :
                                           00000000G   8F  DD 000A8 9$:      PUSHL   #AED$_NOCOMBINE                                          :
                             00000000G  00             01  FB 000AE          CALLS   #1, LIB$SIGNAL                                           :
                          11     0000'  CF             03  E1 000B5          BBC     #3, AED_L_FLAGS, 11$                                     :
                                        7E      0000'  CF  9A 000BB 10$:     MOVZBL  AED_B_COLUMN, -(SP)                                      :
                                        7E      0000'  CF  9A 000C0          MOVZBL  AED_B_LINE, -(SP)                                        :
                             00000000G  00             02  FB 000C5          CALLS   #2, SCR$SET_CURSOR                                       :
                                           00000000*   8F  D5 000CC 11$:     TSTL    #<AED$_NOCOMBINE&7>                                      :
                                                       16  13 000D2          BEQL    12$                                                      :
00000000*   8F     0000'  CF                03         00  ED 000D4          CMPZV   #0, #3, AED_L_WORSTERR, #<AED$_NOCOMBINE&7>              :
                                                       09  18 000DF          BGEQ    12$                                                      :
                                 0000'  CF 00000000G   8F  D0 000E1          MOVL    #AED$_NOCOMBINE, AED_L_WORSTERR                          :
                                                     02ED  31 000EA 12$:     BRW     39$                                                      : 0966
                                 0000V  CF             00  FB 000ED 13$:     CALLS   #0, AED_REPSEGMENT                                       : 0968
                                        58             50  D0 000F2          MOVL    R0, NEW_TEXT_LINE                                        :
                                        57         04  A8  D0 000F5          MOVL    4(NEW_TEXT_LINE), PREV_LINE                              : 0969
                                                   04  AE  9F 000F9 14$:     PUSHAB  COMBINED_LINE                                            : 0976
                                        59         08  A7  3C 000FC          MOVZWL  8(PREV_LINE), R9                                         :
                                        50         08  A8  3C 00100          MOVZWL  8(NEW_TEXT_LINE), R0                                     :
                                        59             50  C0 00104          ADDL2   R0, R9                                                   :
                                        52         14  A9  9E 00107          MOVAB   20(R9), R2                                               :
                                    04  AE             52  D0 0010B          MOVL    R2, 4(SP)                                                :
                                                   04  AE  9F 0010F          PUSHAB  4(SP)                                                    :
                             00000000G  00             02  FB 00112          CALLS   #2, LIB$GET_VM                                           :
                                        56             50  D0 00119          MOVL    R0, VM_STATUS                                            :
                                        07             56  E9 0011C          BLBC    VM_STATUS, 15$                                           :
            52            00            6E             00  2C 0011F          MOVC5   #0, (SP), #0, R2, @COMBINED_LINE                         :
                                                   04  BE     00124                                                                           :
                                 0000'  CF             56  D0 00126 15$:     MOVL    VM_STATUS, AED_L_STATUS                                  :
                                        5E      0000'  CF  E8 0012B          BLBS    AED_L_STATUS, 19$                                        : 0977
                          16     0000'  CF             03  E1 00130          BBC     #3, AED_L_FLAGS, 16$                                     : 0980
                                                       01  DD 00136          PUSHL   #1                                                       :
                                                       15  DD 00138          PUSHL   #21                                                      :
                             00000000G  00             02  FB 0013A          CALLS   #2, SCR$ERASE_PAGE                                       :
                                                       01  DD 00141          PUSHL   #1                                                       :
                                                       15  DD 00143          PUSHL   #21                                                      :
                             00000000G  00             02  FB 00145          CALLS   #2, SCR$SET_CURSOR                                       :
                                                0000'  CF  DD 0014C 16$:     PUSHL   AED_L_STATUS                                             :
                             00000000G  00             01  FB 00150          CALLS   #1, LIB$SIGNAL                                           :
                          11     0000'  CF             03  E1 00157          BBC     #3, AED_L_FLAGS, 17$                                     :
                                  7E   0000'  CF 9A 0015D        MOVZBL  AED_B_COLUMN, -(SP)
                                  7E   0000'  CF 9A 00162        MOVZBL  AED_B_LINE, -(SP)
                       00000000G  00          02 FB 00167        CALLS   #2, SCR$SET_CURSOR
                                  50   0000'  CF D0 0016E 17$:   MOVL    AED_L_STATUS, R0
                                  07          50 93 00173        BITB    R0, #7
                                              13 13 00176        BEQL    18$
51              50                03          00 EF 00178        EXTZV   #0, #3, R0, R1
51        0000' CF                03          00 ED 0017D        CMPZV   #0, #3, AED_L_WORSTERR, R1
                                              05 18 00184        BGEQ    18$
                           0000'  CF          50 D0 00186        MOVL    R0, AED_L_WORSTERR
                                            0250 31 0018B 18$:   BRW     40$                                          0981
                              04  BC      08  A7 3C 0018E 19$:   MOVZWL  8(PREV_LINE), @POSITION                      0984
                                  56      04  AE D0 00193        MOVL    COMBINED_LINE, R6                            0985
                              08  A6          59 B0 00197        MOVW    R9, 8(R6)
                                  6E      08  A7 3C 0019B        MOVZWL  8(PREV_LINE), (SP)                           0986
                                  5B      08  A8 3C 0019F        MOVZWL  8(NEW_TEXT_LINE), R11                        0987
                                  5A      08  A6 3C 001A3        MOVZWL  8(R6), R10                                   0989
                                  59      14  A6 9E 001A7        MOVAB   20(R6), R9
5A              00            14  A7          6E 2C 001AB        MOVC5   (SP), 20(PREV_LINE), #0, R10, (R9)
                                              69    001B1
                                              0D 18 001B2        BGEQ    20$
                                  59          6E C0 001B4        ADDL2   (SP), R9
                                  5A          6E C2 001B7        SUBL2   (SP), R10
5A              00            14  A8          5B 2C 001BA        MOVC5   R11, 20(NEW_TEXT_LINE), #0, R10, (R9)
                                              69    001C0
                                  04      0A  A7 E9 001C1 20$:   BLBC    10(PREV_LINE), 21$                           0990
                              0A  A6          01 88 001C5        BISB2   #1, 10(R6)
                04            0A  A8          01 E1 001C9 21$:   BBC     #1, 10(NEW_TEXT_LINE), 22$                   0991
                              0A  A6          02 88 001CE        BISB2   #2, 10(R6)
                              0C  A6      0C  A7 D0 001D2 22$:   MOVL    12(PREV_LINE), 12(R6)                        0992
                              10  A6      10  A7 90 001D7        MOVB    16(PREV_LINE), 16(R6)                        0993
                              04  B7          66 0E 001DC        INSQUE  (R6), @4(PREV_LINE)                          0994
                                  52      04  AE D0 001E0        MOVL    COMBINED_LINE, R2                            0995
                                              52 DD 001E4        PUSHL   R2
                           0000V  CF          01 FB 001E6        CALLS   #1, AED_COPSEGMENT
                              04  B2   0000'  CF 0E 001EB        INSQUE  AED_T_CURLINE, @4(R2)                        0996
                                  57   0000'  CF D1 001F1        CMPL    AED_L_FIRSTLINE, PREV_LINE                   0997
                                              07 12 001F6        BNEQ    23$
                           0000'  CF   0000'  CF 9E 001F8        MOVAB   AED_T_CURLINE, AED_L_FIRSTLINE
                                  58   0000'  CF D1 001FF 23$:   CMPL    AED_L_LASTLINE, NEQ_TEXT_LINE                0998
                                              07 12 00204        BNEQ    24$
                           0000'  CF   0000'  CF 9E 00206        MOVAB   AED_T_CURLINE, AED_L_LASTLINE
                                  57   0000'  CF D1 0020D 24$:   CMPL    AED_L_BEGINLINE, PREV_LINE                   0999
                                              07 13 00212        BEQL    25$
                                  58   0000'  CF D1 00214        CMPL    AED_L_BEGINLINE, NEW_TEXT_LINE
                                              07 12 00219        BNEQ    26$
                           0000'  CF   0000'  CF 9E 0021B 25$:   MOVAB   AED_T_CURLINE, AED_L_BEGINLINE               1000
                              08  AE          67 0F 00222 26$:   REMQUE  (PREV_LINE), REMOVED_LINE                    1001
                                          08  AE 9F 00226        PUSHAB  REMOVED_LINE                                 1003
                                  50      0C  AE D0 00229        MOVL    REMOVED_LINE, R0
                              04  AE      08  A0 3C 0022D        MOVZWL  8(R0), 4(SP)
                              04  AE          14 C0 00232        ADDL2   #20, 4(SP)
                                          04  AE 9F 00236        PUSHAB  4(SP)
                       00000000G  00          02 FB 00239        CALLS   #2, LIB$FREE_VM
                              08  AE          68 0F 00240        REMQUE  (NEW_TEXT_LINE), REMOVED_LINE                1004
                                          08  AE 9F 00244        PUSHAB  REMOVED_LINE                                 1006
                                  50      0C  AE D0 00247        MOVL    REMOVED_LINE, R0
```

```
                                     04 AE        08  A0 3C 0024B         MOVZWL  8(R0), 4(SP)                          :
                                     04 AE            14 C0 00250         ADDL2   #20, 4(SP)                            :
                                                  04  AE 9F 00254         PUSHAB  4(SP)                                 :
                              00000000G 00            02 FB 00257         CALLS   #2, LIB$FREE_VM                       :
                                        50        04  AE D0 0025E         MOVL    COMBINED_LINE, R0                     : 1007
     0000'  CF       08   A0            10            00 ED 00262         CMPZV   #0, #16, 8(R0), AED_L_PAGEWIDTH       :
                                                      03 14 0026A         BGTR    27$                                   :
                                                    008C 31 0026C         BRW     28$                                   :
                                                      01 DD 0026F 27$:    PUSHL   #1                                    : 1010
                                                      01 DD 00271         PUSHL   #1                                    :
                                                      7E D4 00273         CLRL    -(SP)                                 :
                     0C   AE      0000' CF            01 C3 00275         SUBL3   #1, AED_L_PAGEWIDTH, 12(SP)           :
                                                  0C  AE 9F 0027C         PUSHAB  12(SP)                                :
                                   FAE6 CF            04 FB 0027F         CALLS   #4, AED_SEGSPLIT                      :
                                               0000'  CF 9F 00284         PUSHAB  AED_T_CURLINE                         : 1011
                                  0000V CF            01 FB 00288         CALLS   #1, AED_POSITION                      :
                                     0C AE     0000'  CF B0 0028D         MOVW    AED_T_CURLINE+8, OUTPUT_DESC          : 1012
                                     10 AE     0000'  CF 9E 00293         MOVAB   AED_T_CURLINE+20, OUTPUT_DESC+4       : 1013
                                                      01 DD 00299         PUSHL   #1                                    : 1014
                                        7E     0000'  CF 9A 0029B         MOVZBL  AED_B_LINE, -(SP)                     :
                                  0000V CF            02 FB 002A0         CALLS   #2, AED_SET_CURSOR                    :
                                                  0C  AE 9F 002A5         PUSHAB  OUTPUT_DESC                           : 1015
                                  0000G CF            01 FB 002A8         CALLS   #1, AED_PUTOUTPUT                     :
                                        7E     0000'  CF 3C 002AD         MOVZWL  AED_T_CURLINE+8, -(SP)                : 1016
                                                      6E D6 002B2         INCL    (SP)                                  :
                                        7E     0000'  CF 9A 002B4         MOVZBL  AED_B_LINE, -(SP)                     :
                              00000000G 00            02 FB 002B9         CALLS   #2, SCR$ERASE_LINE                    :
                                        58     0000'  DF D0 002C0         MOVL    @AED_T_CURLINE, NEW_TEXT_LINE         : 1017
                                     0C AE        08  A8 B0 002C5         MOVW    8(NEW_TEXT_LINE), OUTPUT_DESC         : 1018
                                     10 AE        14  A8 9E 002CA         MOVAB   20(R8), OUTPUT_DESC+4                 : 1019
                                                      01 DD 002CF         PUSHL   #1                                    : 1020
                                        7E     0000'  CF 9A 002D1         MOVZBL  AED_B_LINE, -(SP)                     :
                                                      6E D6 002D6         INCL    (SP)                                  :
                                  0000V CF            02 FB 002D8         CALLS   #2, AED_SET_CURSOR                    :
                                                  0C  AE 9F 002DD         PUSHAB  OUTPUT_DESC                           : 1021
                                  0000G CF            01 FB 002E0         CALLS   #1, AED_PUTOUTPUT                     :
                                        7E        08  A8 3C 002E5         MOVZWL  8(NEW_TEXT_LINE), -(SP)               : 1022
                                                      6E D6 002E9         INCL    (SP)                                  :
                                        7E     0000'  CF 9A 002EB         MOVZBL  AED_B_LINE, -(SP)                     :
                                                      6E D6 002F0         INCL    (SP)                                  :
                              00000000G 00            02 FB 002F2         CALLS   #2, SCR$ERASE_LINE                    :
                                                      5F 11 002F9         BRB     31$                                   : 1007
                                               0000'  CF 9F 002FB 28$:    PUSHAB  AED_T_CURLINE                         : 1026
                                  0000V CF            01 FB 002FF         CALLS   #1, AED_POSITION                      :
                                        0A     0000'  CF 91 00304         CMPB    AED_B_LINE, #10                       : 1033
                                                      51 1A 00309         BGTRU   32$                                   :
                                                      01 DD 0030B         PUSHL   #1                                    : 1036
                                                      14 DD 0030D         PUSHL   #20                                   :
                                  0000V CF            02 FB 0030F         CALLS   #2, AED_SET_CURSOR                    :
                              00000000G 00            00 FB 00314         CALLS   #0, SCR$UP_SCROLL                     : 1037
                                        58     0000'  CF D0 0031B         MOVL    AED_L_BEGINLINE, NEW_TEXT_LINE        : 1038
                                        53     0000'  CF 9A 00320         MOVZBL  AED_B_LINE, R3                        : 1039
                                                      52 D4 00325         CLRL    J                                     :
                                                      2D 11 00327         BRB     30$                                   :
                                     0C AE        08  A8 B0 00329 29$:    MOVW    8(NEW_TEXT_LINE), OUTPUT_DESC         : 1042
                                     10 AE        14  A8 9E 0032E         MOVAB   20(R8), OUTPUT_DESC+4                 : 1043
                                                      01 DD 00333         PUSHL   #1                                    : 1044
```

```
                                                       52  DD 00335          PUSHL   J                               ;
                                 0000V  CF             02  FB 00337          CALLS   #2, AED_SET_CURSOR              ;
                                                   0C  AE  9F 0033C          PUSHAB  OUTPUT_DESC                     ;  1045
                                 0000G  CF             01  FB 0033F          CALLS   #1, AED_PUTOUTPUT               ;
                                        7E         0C  AE  3C 00344          MOVZWL  OUTPUT_DESC, -(SP)              ;  1046
                                                       6E  D6 00348          INCL    (SP)                            ;
                                                       52  DD 0034A          PUSHL   J                               ;
                             00000000G  00             02  FB 0034C          CALLS   #2, SCR$ERASE_LINE              ;
                                        58             68  D0 00353          MOVL    (NEW_TEXT_LINE), NEW_TEXT_LINE  ;  1047
                          CF            52             53  F3 00356 30$:     AOBLEQ  R3, J, 29$                      ;  1039
                                                       68  11 0035A 31$:     BRB     38$                             ;  1033
                          07     0000'  CF             05  E1 0035C 32$:     BBC     #5, AED_L_FLAGS, 33$            ;  1052
                                        58      0000'  CF  9E 00362          MOVAB   AED_T_CURLINE, NEW_TEXT_LINE    ;  1053
                                                       05  11 00367          BRB     34$                             ;
                                        58      0000'  CF  D0 00369 33$:     MOVL    AED_T_CURLINE, NEW_TEXT_LINE    ;  1054
                                        52      0000'  CF  9A 0036E 34$:     MOVZBL  AED_B_LINE, J                   ;  1055
                                                       52  D7 00373          DECL    J                               ;
                                                       49  11 00375          BRB     37$                             ;
                                        50      0000'  CF  9E 00377 35$:     MOVAB   AED_Q_LINETABLE, R0             ;  1058
                                        50             58  D1 0037C          CMPL    NEW_TEXT_LINE, R0               ;
                                                       12  12 0037F          BNEQ    36$                             ;
                                        14             52  D1 00381          CMPL    J, #20                          ;  1061
                                                       3E  18 00384          BGEQ    38$                             ;
                                                       01  DD 00386          PUSHL   #1                              ;
                                                       52  DD 00388          PUSHL   J                               ;
                             00000000G  00             02  FB 0038A          CALLS   #2, SCR$ERASE_PAGE              ;
                                                       31  11 00391          BRB     38$                             ;  1060
                                   0C   AE         08  A8  B0 00393 36$:     MOVW    8(NEW_TEXT_LINE), OUTPUT_DESC   ;  1064
                                   10   AE         14  A8  9E 00398          MOVAB   20(R8), OUTPUT_DESC+4           ;  1065
                                                       01  DD 0039D          PUSHL   #1                              ;  1066
                                                       52  DD 0039F          PUSHL   J                               ;
                                 0000V  CF             02  FB 003A1          CALLS   #2, AED_SET_CURSOR              ;
                                                   0C  AE  9F 003A6          PUSHAB  OUTPUT_DESC                     ;  1067
                                 0000G  CF             01  FB 003A9          CALLS   #1, AED_PUTOUTPUT               ;
                                        7E         0C  AE  3C 003AE          MOVZWL  OUTPUT_DESC, -(SP)              ;  1068
                                                       6E  D6 003B2          INCL    (SP)                            ;
                                                       52  DD 003B4          PUSHL   J                               ;
                             00000000G  00             02  FB 003B6          CALLS   #2, SCR$ERASE_LINE              ;
                                        58             68  D0 003BD          MOVL    (NEW_TEXT_LINE), NEW_TEXT_LINE  ;  1069
                          B3            52             14  F3 003C0 37$:     AOBLEQ  #20, J, 35$                     ;  1055
                   0000'  CF        04  BC             01  81 003C4 38$:     ADDB3   #1, @POSITION, AED_B_COLUMN     ;  1073
                                        7E      0000'  CF  9A 003CB          MOVZBL  AED_B_COLUMN, -(SP)             ;  1074
                                        7E      0000'  CF  9A 003D0          MOVZBL  AED_B_LINE, -(SP)               ;
                                 0000V  CF             02  FB 003D5          CALLS   #2, AED_SET_CURSOR              ;
                                        50             01  D0 003DA 39$:     MOVL    #1, R0                          ;  1076
                                                           04 003DD          RET                                     ;
                                                       50  D4 003DE 40$:     CLRL    R0                              ;  1078
                                                           04 003E0          RET                                     ;

; Routine Size:  993 bytes,    Routine Base:  $CODE$ + 0398
;  632        1079  1 GLOBAL ROUTINE AED_COPSEGMENT (SEGMENT_ADDR) =
;  633        1080  1
;  634        1081  1 !++
;  635        1082  1 !
;  636        1083  1 ! FUNCTIONAL DESCRIPTION:
;  637        1084  1 !
;  638        1085  1 !       This routine copies the specified line segment to the current
;  639        1086  1 !       line working storage area.
;  640        1087  1 !
;  641        1088  1 ! CALLING SEQUENCE:
;  642        1089  1 !       AED_COPSEGMENT (ARG1)
;  643        1090  1 !
;  644        1091  1 ! INPUT PARAMETERS:
;  645        1092  1 !       ARG1: address of the desired line segment
;  646        1093  1 !
;  647        1094  1 ! IMPLICIT IMPUTS:
;  648        1095  1 !       AED_T_CURLINE: current line working storage
;  649        1096  1 !       AED_Q_LINETABLE: line segment list head
;  650        1097  1 !
;  651        1098  1 ! OUTPUT PARAMETERS:
;  652        1099  1 !       none
;  653        1100  1 !
;  654        1101  1 ! IMPLICIT OUTPUTS:
;  655        1102  1 !       none
;  656        1103  1 !
;  657        1104  1 ! ROUTINE VALUE:
;  658        1105  1 !       none
;  659        1106  1 !
;  660        1107  1 ! SIDE EFFECTS:
;  661        1108  1 !       none
;  662        1109  1 !
;  663        1110  1 !--
;  664        1111  1
;  665        1112  2 BEGIN
;  666        1113  2
;  667        1114  2 MAP
;  668        1115  2         SEGMENT_ADDR    : REF $BBLOCK;
;  669        1116  2
;  670        1117  2 IF .SEGMENT_ADDR NEQA AED_Q_LINETABLE
;  671        1118  2 THEN CH$MOVE ($BYTEOFFSET(LINE_T_TEXT), .SEGMENT_ADDR, AED_T_CURLINE);
;  672        1119  2 CH$MOVE (.SEGMENT_ADDR[LINE_W_SIZE], SEGMENT_ADDR[LINE_T_TEXT],
;  673        1120  2         AED_T_CURLINE[LINE_T_TEXT]);
;  674        1121  2 AED_T_CURLINE[LINE_V_REPLACE] = 1;
;  675        1122  2
;  676        1123  2 RETURN 1;
;  677        1124  2
;  678        1125  1 END;                                          ! End of routine AED_COPSEGMENT



                               007C 00000      .ENTRY  AED_COPSEGMENT, Save R2,R3,R4,R5,R6          ; 1079
             56      04   AC   D0 00002        MOVL    SEGMENT_ADDR, R6                             ; 1117
             50    0000'  CF   9E 00006        MOVAB   AED_Q_LINETABLE, R0                          ;
             50           56   D1 0000B        CMPL    R6, R0                                       ;
                          06   13 0000E        BEQL    1$                                           ;
```

```
        0000'  CF               66          14  28 00010          MOVC3   #20, (R6), AED_T_CURLINE                    ; 1118
        0000'  CF          14   A6      08  A6  28 00016 1$:      MOVC3   8(R6), 20(R6), AED_T_CURLINE+20             ; 1120
                        0000'   CF          08  88 0001E          BISB2   #8, AED_T_CURLINE+T0                        ; 1121
                                50          01  D0 00023          MOVL    #1, R0                                      ; 1123
                                                04 00026          RET                                                 ; 1125

; Routine Size:  39 bytes,    Routine Base:  $CODE$ + 0779
```

```
  1 GLOBAL ROUTINE AED_REPSEGMENT =
  1
  1 !++
  1 !
  1 ! FUNCTIONAL DESCRIPTION:
  1 !
  1 !       This routine replaces the specified segment with the new one given.
  1 !
  1 ! CALLING SEQUENCE:
  1 !       AED_REPSEGMENT ()
  1 !
  1 ! INPUT PARAMETERS:
  1 !       none
  1 !
  1 ! IMPLICIT IMPUTS:
  1 !       AED_L_STATUS: global return status
  1 !       AED_T_CURLINE: segment working storage
  1 !       AED_L_FIRSTLINE: address of first segment of ACE
  1 !       AED_L_LASTLINE: address of last segment of ACE
  1 !       AED_L_BEGINLINE: address of first line of display
  1 !
  1 ! OUTPUT PARAMETERS:
  1 !       ARG1: total size of all segments
  1 !
  1 ! IMPLICIT OUTPUTS:
  1 !       none
  1 !
  1 ! ROUTINE VALUE:
  1 !       none
  1 !
  1 ! SIDE EFFECTS:
  1 !       none
  1 !
  1 !--
  1
  2 BEGIN
  2
  2 BIND
  2         SEGMENT_SIZE    = AED_T_CURLINE[LINE_W_SIZE] : WORD;
  2
  2 LOCAL
  2         NEW_TEXT_LINE   : REF $BBLOCK,          ! Address of new segment
  2         REMOVED_LINE    : REF $BBLOCK;          ! Address of segment removed
  2
P 2 AED_L_STATUS = ALLOCATE (.SEGMENT_SIZE + $BYTEOFFSET (LINE_T_TEXT),
  2                          NEW_TEXT_LINE);
  2 IF NOT .AED_L_STATUS
  2 THEN
  3     BEGIN
  3     SIGNAL (.AED_L_STATUS);
  3     RETURN 0;
  2     END;
  2 CH$MOVE (.SEGMENT_SIZE + $BYTEOFFSET (LINE_T_TEXT),
  2         AED_T_CURLINE, .NEW_TEXT_LINE);
  2 IF .SEGMENT_SIZE EQL 0 THEN NEW_TEXT_LINE[LINE_V_DUMMY] = 1;
  2 INSQUE (NEW_TEXT_LINE[LINE_L_FLINK], AED_T_CURLINE[LINE_L_FLINK]);
  2 REMQUE (AED_T_CURLINE[LINE_L_FLINK], REMOVED_LINE);
```

```
;   737            1183  2 AED_W_TOTALSIZE = .AED_W_TOTALSIZE + .SEGMENT_SIZE;
;   738            1184  2 CH$FILL (0, 512 + $BYTEOFFSET (LINE_T_TEXT), AED_T_CURLINE);
;   739            1185  2 IF .AED_L_BEGINLINE EQLA AED_T_CURLINE
;   740            1186  2 THEN AED_L_BEGINLINE = .NEW_TEXT_LINE;
;   741            1187  2 IF .AED_L_FIRSTLINE EQLA AED_T_CURLINE
;   742            1188  2 THEN AED_L_FIRSTLINE = .NEW_TEXT_LINE;
;   743            1189  2 IF .AED_L_LASTLINE EQLA AED_T_CURLINE
;   744            1190  2 THEN AED_L_LASTLINE = .NEW_TEXT_LINE;
;   745            1191  2 IF .NEW_TEXT_LINE[LINE_V_REPLACE]
;   746            1192  2 THEN
;   747            1193  3     BEGIN
;   748            1194  3     NEW_TEXT_LINE[LINE_V_REPLACE] = 0;
;   749            1195  3     REMQUE (.NEW_TEXT_LINE[LINE_L_FLINK], REMOVED_LINE);
;   750            1196  3     AED_W_TOTALSIZE = .AED_W_TOTALSIZE - .REMOVED_LINE[LINE_W_SIZE];
;   751          P 1197  3     DEALLOCATE (.REMOVED_LINE[LINE_W_SIZE] +
;   752          P 1198  3                 $BYTEOFFSET (LINE_T_TEXT),
;   753            1199  3                 REMOVED_LINE);
;   754            1200  2     END;
;   755            1201  2
;   756            1202  2 RETURN .NEW_TEXT_LINE;
;   757            1203  2
;   758            1204  1 END;                                               ! End of routine AED_REPSEGMENT


                                                              SEGMENT_SIZE=       AED_T_CURLINE+8


                                                   01FC 00000          .ENTRY   AED_REPSEGMENT, Save R2,R3,R4,R5,R6,R7,R8     ; 1126
                          58 00000000G      00   9E 00002          MOVAB    SCR$SET_CURSOR, R8                            ;
                          57     0000'      CF   9E 00009          MOVAB    AED_T_CURLINE, R7                             ;
                          5E                0C   C2 0000E          SUBL2    #12, SP                                       ;
                                      04    AE   9F 00011          PUSHAB   NEW_TEXT_LINE                                 ; 1171
                    04    AE          08    A7   3C 00014          MOVZWL   SEGMENT_SIZE, 4(SP)                           ;
                    04    AE                14   C0 00019          ADDL2    #20, 4(SP)                                    ;
                                      04    AE   9F 0001D          PUSHAB   4(SP)                                         ;
            00000000G     00                02   FB 00020          CALLS    #2, LIB$GET_VM                                ;
                          56                50   D0 00027          MOVL     R0, VM_STATUS                                 ;
                          0E                56   E9 0002A          BLBC     VM_STATUS, 1$                                 ;
                          50          08    A7   3C 0002D          MOVZWL   SEGMENT_SIZE, R0                              ;
                          50                14   C0 00031          ADDL2    #20, R0                                       ;
   5D           00        6E                00   2C 00034          MOVC5    #0, (SP), #0, R0, @NEW_TEXT_LINE              ;
                                      04    BE      00039                                                               ;
                    DC    A7                56   D0 0003B 1$:      MOVL     VM_STATUS, AED_L_STATUS                       ;
                          54          DC    A7   E8 0003F          BLBS     AED_L_STATUS, 5$                              ; 1172
          12      FF50    C7                03   E1 00043          BBC      #3, AED_L_FLAGS, 2$                           ; 1175
                                            01   DD 00049          PUSHL    #1                                            ;
                                            15   DD 0004B          PUSHL    #21                                           ;
            00000000G     00                02   FB 0004D          CALLS    #2, SCR$ERASE_PAGE                            ;
                                            01   DD 00054          PUSHL    #1                                            ;
                                            15   DD 00056          PUSHL    #21                                           ;
                          68                02   FB 00058          CALLS    #2, SCR$SET_CURSOR                            ;
                                      DC    A7   DD 0005B 2$:      PUSHL    AED_L_STATUS                                  ;
            00000000G     00                01   FB 0005E          CALLS    #1, LIB$SIGNAL                                ;
          0D      FF50    C7                03   E1 00065          BBC      #3, AED_L_FLAGS, 3$                           ;
                          7E        FF70    C7   9A 0006B          MOVZBL   AED_B_COLUMN, -(SP)                           ;
                          7E        FF74    C7   9A 00070          MOVZBL   AED_B_LINE, -(SP)                             ;
```

```
                                   68            02  FB 00075         CALLS    #2, SCR$SET_CURSOR                            ;
                                   50     DC     A7  D0 00078 3$:     MOVL     AED_L_STATUS, R0                              ;
                                   07            50  93 0007C         BITB     R0, #7                                        ;
                                                 13  13 0007F         BEQL     4$                                            ;
        51             50          03            00  EF 00081         EXTZV    #0, #3, R0, R1                                ;
        51     FF64    C7          03            00  ED 00086         CMPZV    #0, #3, AED_L_WORSTERR, R1                    ;
                                                 05  18 0008D         BGEQ     4$                                            ;
                             FF64  C7            50  D0 0008F         MOVL     R0, AED_L_WORSTERR                            ;
                                               008E  31 00094 4$:     BRW      11$                                           ; 1176
                                   50     08     A7  3C 00097 5$:     MOVZWL   SEGMENT_SIZE, R0                              ; 1178
                                   50            14  C0 0009B         ADDL2    #20, R0                                       ;
                                   56     04     AE  D0 0009E         MOVL     NEW_TEXT_LINE, R6                             ; 1179
                       66          67            50  28 000A2         MOVC3    R0, AED_T_CURLINE, (R6)                       ;
                                          08     A7  B5 000A6         TSTW     SEGMENT_SIZE                                  ; 1180
                                                 04  12 000A9         BNEQ     6$                                            ;
                               0A  A6            04  88 000AB         BISB2    #4, 10(R6)                                    ;
                                   67            66  0E 000AF 6$:     INSQUE   (R6), AED_T_CURLINE                           ; 1181
                               08  AE            67  0F 000B2         REMQUE   AED_T_CURLINE, REMOVED_LINE                   ; 1182
                             0214  C7     08     A7  A0 000B6         ADDW2    SEGMENT_SIZE, AED_W_TOTALSIZE                 ; 1183
0214    8F             00          6E            00  2C 000BC         MOVC5    #0, (SP), #0, #532, AED_T_CURLINE             ; 1184
                                                 67     000C3                                                                ;
                                   50            67  9E 000C4         MOVAB    AED_T_CURLINE, R0                             ; 1185
                                   50     98     A7  D1 000C7         CMPL     AED_L_BEGINLINE, R0                           ;
                                                 05  12 000CB         BNEQ     7$                                            ;
                               98  A7     04     AE  D0 000CD         MOVL     NEW_TEXT_LINE, AED_L_BEGINLINE                ; 1186
                                   50            67  9E 000D2 7$:     MOVAB    AED_T_CURLINE, R0                             ; 1187
                                   50     90     A7  D1 000D5         CMPL     AED_L_FIRSTLINE, R0                           ;
                                                 05  12 000D9         BNEQ     8$                                            ;
                               90  A7     04     AE  D0 000DB         MOVL     NEW_TEXT_LINE, AED_L_FIRSTLINE                ; 1188
                                   50            67  9E 000E0 8$:     MOVAB    AED_T_CURLINE, R0                             ; 1189
                                   50     94     A7  D1 000E3         CMPL     AED_L_LASTLINE, R0                            ;
                                                 05  12 000E7         BNEQ     9$                                            ;
                               94  A7     04     AE  D0 000E9         MOVL     NEW_TEXT_LINE, AED_L_LASTLINE                 ; 1190
                                   50     04     AE  D0 000EE 9$:     MOVL     NEW_TEXT_LINE, R0                             ; 1191
                       29      0A  A0            03  E1 000F2         BBC      #3, 10(R0), 10$                               ;
                               0A  A0            08  8A 000F7         BICB2    #8, 10(R0)                                    ; 1194
                               08  AE     00     B0  0F 000FB         REMQUE   @0(R0), REMOVED_LINE                          ; 1195
                                   50     08     AE  D0 00100         MOVL     REMOVED_LINE, R0                              ; 1196
                             0214  C7     08     A0  A2 00104         SUBW2    8(R0), AED_W_TOTALSIZE                        ;
                                          08     AE  9F 0010A         PUSHAB   REMOVED_LINE                                  ; 1199
                               04  AE     08     A0  3C 0010D         MOVZWL   8(R0), 4(SP)                                  ;
                               04  AE            14  C0 00112         ADDL2    #20, 4(SP)                                    ;
                                          04     AE  9F 00116         PUSHAB   4(SP)                                         ;
                        00000000G  00            02  FB 00119         CALLS    #2, LIB$FREE_VM                               ;
                                   50     04     AE  D0 00120 10$:    MOVL     NEW_TEXT_LINE, R0                             ; 1202
                                                     04 00124         RET                                                    ;
                                                 50  D4 00125 11$:    CLRL     R0                                            ; 1204
                                                     04 00127         RET                                                    ;

; Routine Size:  296 bytes,    Routine Base:  $CODE$ + 07A0
```

```
1 GLOBAL ROUTINE AED_POSITION (LINE_ADDRESS) : NOVALUE =
1
1 !++
1 !
1 ! FUNCTIONAL DESCRIPTION:
1 !
1 !       This routine positions the cursor to the selected line.  If necessary
1 !       it will also scroll up or down the display so that the selected line
1 !       may be viewed.
1 !
1 ! CALLING SEQUENCE:
1 !       AED_POSITION (ARG1)
1 !
1 ! INPUT PARAMETERS:
1 !       ARG1: address of the line segment to position to
1 !
1 ! IMPLICIT INPUTS:
1 !       AED_L_BEGINLINE: address of the first line of the display
1 !       AED_Q_LINETABLE: address of the line table list head
1 !       AED_B_LINE: the current line position within the display
1 !
1 ! OUTPUT PARAMETERS:
1 !       none
1 !
1 ! IMPLICIT OUTPUTS:
1 !       AED_L_BEGINLINE: address of the first line of the display
1 !       AED_B_LINE: the current line position within the display
1 !
1 ! ROUTINE VALUE:
1 !       none
1 !
1 ! SIDE EFFECTS:
1 !       The display is scrolled as necessary to view the selected line
1 !       segment.
1 !
1 ! --
1
2 BEGIN
2
2 MAP
2       LINE_ADDRESS    : REF $BBLOCK;          ! Address of the segment
2
2 MACRO
2       POS_BEGIN_SEEN  = 0, 0, 1, 0 %;         ! First line of display seen
2
2 LOCAL
2       OUTPUT_DESC     : $BBLOCK [DSC$C_S_BLN],        ! Output line descr
2       NEXT_TEXT_LINE  : REF $BBLOCK,          ! Address of next line segment
2       POS_FLAGS       : $BBLOCK [1];          ! Local positioning flags
2
2 ! Quick check to see if the cursor must move at all.
2
2 AED_B_LINE = 1;
2 IF .LINE_ADDRESS EQL .AED_L_BEGINLINE THEN RETURN;
2
2 ! Traverse the line segment table looking for the selected line segment and
2 ! the current first line of the display.  This will determine if any scrolling
```

```
2  ! is needed and what the direction will be.  If the selected line occurs before
2  ! the first line of the display, it will be necessary to scroll down.  If the
2  ! selected line occurs after the first line, it will be necessary to scroll up.
2
2  NEXT_TEXT_LINE = .AED_Q_LINETABLE[LINE_L_FLINK];
2  POS_FLAGS[POS_BEGIN_SEEN] = 0;
2
2  UNTIL .NEXT_TEXT_LINE EQL .LINE_ADDRESS
2  DO
3      BEGIN
3      IF .NEXT_TEXT_LINE EQL .AED_L_BEGINLINE
3      THEN
4          BEGIN
4          POS_FLAGS[POS_BEGIN_SEEN] = 1;
4          EXITLOOP;
3          END;
3      NEXT_TEXT_LINE = .NEXT_TEXT_LINE[LINE_L_FLINK];
2      END;
2
2  NEXT_TEXT_LINE = .AED_L_BEGINLINE;
2
2  IF .POS_FLAGS[POS_BEGIN_SEEN]
2  THEN
3      BEGIN                                       ! Move forward/scroll up
3      UNTIL .NEXT_TEXT_LINE EQL .LINE_ADDRESS
3      DO
4          BEGIN
4          NEXT_TEXT_LINE = .NEXT_TEXT_LINE[LINE_L_FLINK];
4          IF .AED_B_LINE LSS 20
4          THEN AED_B_LINE = .AED_B_LINE + 1
4          ELSE
5              BEGIN
5              AED_SET_CURSOR (20, 1);             ! **** TEMP ****
5              SCR$UP_SCROLL ();
5              AED_L_BEGINLINE = .AED_L_BEGINLINE[LINE_L_FLINK];
5              AED_SET_CURSOR (20, 1);
5              OUTPUT_DESC[DSC$W_LENGTH] = .NEXT_TEXT_LINE[LINE_W_SIZE];
5              OUTPUT_DESC[DSC$A_POINTER] = NEXT_TEXT_LINE[LINE_T_TEXT];
5              AED_PUTOUTPUT (OUTPUT_DESC);
4              END;
3          END;
3      END
2  ELSE
3      BEGIN                                       ! Move backward/scroll down
3      UNTIL .NEXT_TEXT_LINE EQL .LINE_ADDRESS
3      DO
4          BEGIN
4          NEXT_TEXT_LINE = .NEXT_TEXT_LINE[LINE_L_BLINK];
4          AED_SET_CURSOR (1, 1);                  ! **** TEMP ****
4          SCR$DOWN_SCROLL ();
4          SCR$ERASE_PAGE (21, 1);
4          AED_SET_CURSOR (1, 1);
4          OUTPUT_DESC[DSC$W_LENGTH] = .NEXT_TEXT_LINE[LINE_W_SIZE];
4          OUTPUT_DESC[DSC$A_POINTER] = NEXT_TEXT_LINE[LINE_T_TEXT];
4          AED_PUTOUTPUT (OUTPUT_DESC);
3          END;
3      AED_L_BEGINLINE = .NEXT_TEXT_LINE;
```

```
;   874         1319  2         END;
;   875         1320  2
;   876         1321  2   RETURN;
;   877         1322  2
;   878         1323  1   END;                                          ! End of routine AED_POSITION




                                    001C 00000          .ENTRY  AED_POSITION, Save R2,R3,R4                         ; 1205
                  54    0000V   CF    9E 00002          MOVAB   AED_SET_CURSOR, R4                                  ;
                  53    0000'   CF    9E 00007          MOVAB   AED_L_BEGINLINE, R3                                 ;
                  5E            08    C2 0000C          SUBL2   #8, SP                                              ;
            DC    A3            01    90 0000F          MOVB    #1, AED_B_LINE                                      ; 1257
                  50            63    D0 00013          MOVL    AED_L_BEGINLINE, R0                                 ; 1258
                  50      04    AC    D1 00016          CMPL    LINE_ADDRESS, R0                                    ;
                                26    13 0001A          BEQL    5$                                                  ;
                  52      E8    A3    D0 0001C          MOVL    AED_Q_LINETABLE, NEXT_TEXT_LINE                     ; 1266
                  51            01    8A 00020          BICB2   #1, POS_FLAGS                                       ; 1267
            04    AC            52    D1 00023 1$:      CMPL    NEXT_TEXT_LINE, LINE_ADDRESS                        ; 1269
                                0F    13 00027          BEQL    3$                                                  ;
                  50            52    D1 00029          CMPL    NEXT_TEXT_LINE, R0                                  ; 1272
                                05    12 0002C          BNEQ    2$                                                  ;
                  51            01    88 0002E          BISB2   #1, POS_FLAGS                                       ; 1275
                                05    11 00031          BRB     3$                                                  ; 1274
                  52            62    D0 00033 2$:      MOVL    (NEXT_TEXT_LINE), NEXT_TEXT_LINE                    ; 1278
                                EB    11 00036          BRB     1$                                                  ; 1269
                  52            50    D0 00038 3$:      MOVL    R0, NEXT_TEXT_LINE                                  ; 1281
                  3E            51    E9 0003B          BLBC    POS_FLAGS, 7$                                       ; 1283
            04    AC            52    D1 0003E 4$:      CMPL    NEXT_TEXT_LINE, LINE_ADDRESS                        ; 1286
                                77    13 00042 5$:      BEQL    9$                                                  ;
                  52            62    D0 00044          MOVL    (NEXT_TEXT_LINE), NEXT_TEXT_LINE                    ; 1289
                  14      DC    A3    91 00047          CMPB    AED_B_LINE, #20                                     ; 1290
                                05    1E 0004B          BGEQU   6$                                                  ;
                          DC    A3    96 0004D          INCB    AED_B_LINE                                          ; 1291
                                EC    11 00050          BRB     4$                                                  ;
                                01    DD 00052 6$:      PUSHL   #1                                                  ; 1294
                                14    DD 00054          PUSHL   #20                                                 ;
                  64            02    FB 00056          CALLS   #2, AED_SET_CURSOR                                  ;
     00000000G    00            00    FB 00059          CALLS   #0, SCR$UP_SCROLL                                   ; 1295
                  73            93    D0 00060          MOVL    @AED_L_BEGINLINE, AED_L_BEGINLINE                   ; 1296
                                01    DD 00063          PUSHL   #1                                                  ; 1297
                                14    DD 00065          PUSHL   #20                                                 ;
                  64            02    FB 00067          CALLS   #2, AED_SET_CURSOR                                  ;
                  6E      08    A2    B0 0006A          MOVW    8(NEXT_TEXT_LINE), OUTPUT_DESC                      ; 1298
            04    AE      14    A2    9E 0006E          MOVAB   20(R2), OUTPUT_DESC+4                               ; 1299
                                5E    DD 00073          PUSHL   SP                                                  ; 1300
         0000G    CF            01    FB 00075          CALLS   #1, AED_PUTOUTPUT                                   ;
                                C2    11 0007A          BRB     4$                                                  ; 1286
            04    AC            52    D1 0007C 7$:      CMPL    NEXT_TEXT_LINE, LINE_ADDRESS                        ; 1306
                                36    13 00080          BEQL    8$                                                  ;
                  52      04    A2    D0 00082          MOVL    4(NEXT_TEXT_LINE), NEXT_TEXT_LINE                   ; 1309
                                01    DD 00086          PUSHL   #1                                                  ; 1310
                                01    DD 00088          PUSHL   #1                                                  ;
                  64            02    FB 0008A          CALLS   #2, AED_SET_CURSOR                                  ;
     00000000G    00            00    FB 0008D          CALLS   #0, SCR$DOWN_SCROLL                                 ; 1311
```

```
                                            01  DD 00094          PUSHL   #1                                           ; 1312
                                            15  DD 00096          PUSHL   #21                                          ;
                      00000000G  00         02  FB 00098          CALLS   #2, SCR$ERASE_PAGE                           ;
                                            01  DD 0009F          PUSHL   #1                                           ; 1313
                                            01  DD 000A1          PUSHL   #1                                           ;
                                 64         02  FB 000A3          CALLS   #2, AED_SET_CURSOR                           ;
                                 6E     08  A2  B0 000A6          MOVW    8(NEXT_TEXT_LINE), OUTPUT_DESC               ; 1314
                             04  AE     14  A2  9E 000AA          MOVAB   20(R2), OUTPUT_DESC+4                        ; 1315
                                            5E  DD 000AF          PUSHL   SP                                           ; 1316
                          0000G  CF         01  FB 000B1          CALLS   #1, AED_PUTOUTPUT                            ;
                                            C4  11 000B6          BRB     7$                                           ; 1306
                                 63         52  D0 000B8 8$:      MOVL    NEXT_TEXT_LINE, AED_L_BEGINLINE              ; 1318
                                                04 000BB 9$:      RET                                                  ; 1323

; Routine Size:  188 bytes,    Routine Base:  $CODE$ + 08C8
```

```
1 GLOBAL ROUTINE AED_UPDATEACL (TOTAL_SIZE) =
1
1 !++
1 !
1 ! FUNCTIONAL DESCRIPTION:
1 !
1 !       This routine takes all the line segments from AED_L_FIRSTLINE
1 !       to AED_L_LASTLINE, mashes them together, converts the resulting
1 !       text ACE to a binary form, and then updates the in core copy
1 !       of the object's ACL.
1 !
1 ! CALLING SEQUENCE:
1 !       AED_UPDATEACL (ARG1)
1 !
1 ! INPUT PARAMETERS:
1 !       ARG1: total size of the new ACE text
1 !
1 ! IMPLICIT INPUTS:
1 !       AED_L_FIRSTLINE: address of the first list segment
1 !       AED_L_LASTLINE: address of the last line segment
1 !
1 ! OUTPUT PARAMETERS:
1 !       none
1 !
1 ! IMPLICIT OUTPUTS:
1 !       none
1 !
1 ! ROUTINE VALUE:
1 !       1 if success
1 !       error status otherwise
1 !
1 ! SIDE EFFECTS:
1 !       The in core copy of the object's ACL is updated.  The object's
1 !       actual ACL is left untouched.  It gets updated at the end of the
1 !       editing session.
1 !
1 !--
1
2 BEGIN
2
2 LOCAL
2       LOCAL_STATUS,                           ! Local routine exit status
2       APPEND_INDEX,                           ! Index for combining segments
2       CURRENT_LINE    : REF $BBLOCK,          ! Address of current segment
2       NEW_ACE         : $BBLOCK [ACL$S_READACL],      ! Storage for converted ACE
2       NEW_ACE_SIZE    : BYTE,                 ! Size of new binary ACE
2       ACE_DESC        : $BBLOCK [DSC$C_S_BLN],        ! Binary ACE descriptor
2       ACE_TEXT_DESC   : $BBLOCK [DSC$C_S_BLN],        ! Text ACE descriptor
2       CHAR_PROCESSED  : WORD,                 ! Chars processed by ACL parser
2       ATR_ARGLIST     : BLOCKVECTOR [3, ITM$S_ITEM, BYTE],    ! ACL item list
2       ACL_CONTEXT;                            ! ACL context
2
2 ! If the total size of the ACE text segments is zero, determine if it is
2 ! necessary to delete the corresponding binary ACE.
2
2 IF .TOTAL_SIZE EQL 0 THEN RETURN 1;
2
```

```
  2 ! Concatenate all of the text line segments together, and convert to a
  2 ! binary ACE.  Any errors are signaled as syntax errors.
  2
  2 AED_L_LASTLINE[LINE_V_ENDACE] = 1;
  2 LOCAL_STATUS = ALLOCATE (.TOTAL_SIZE, AED_A_ACLBUFFER);
  2 IF NOT .LOCAL_STATUS
  2 THEN
  3     BEGIN
  3     SIGNAL (.LOCAL_STATUS);
  3     RETURN .LOCAL_STATUS;
  2     END;
  2 CURRENT_LINE = .AED_L_FIRSTLINE[LINE_L_BLINK];
  2 APPEND_INDEX = 0;
  2 DO
  3     BEGIN
  3     CURRENT_LINE = .CURRENT_LINE[LINE_L_FLINK];
  3     CH$MOVE (.CURRENT_LINE[LINE_W_SIZE], CURRENT_LINE[LINE_T_TEXT],
  3              AED_A_ACLBUFFER[.APPEND_INDEX, 0, 8, 0]);
  3     APPEND_INDEX = .APPEND_INDEX + .CURRENT_LINE[LINE_W_SIZE];
  3     END
  2 UNTIL .CURRENT_LINE EQL .AED_L_LASTLINE;
  2 ACE_DESC[DSC$W_LENGTH] = ACL$S_READACL;
  2 ACE_DESC[DSC$A_POINTER] = NEW_ACE;
  2 ACE_TEXT_DESC[DSC$W_LENGTH] = .TOTAL_SIZE;
  2 ACE_TEXT_DESC[DSC$A_POINTER] = .AED_A_ACLBUFFER;
P 2 LOCAL_STATUS = $PARSE_ACL (ACLSTR = ACE_TEXT_DESC,
P 2                            ACLENT = ACE_DESC,
  2                            ERRPOS = CHAR_PROCESSED);
  2 IF NOT .LOCAL_STATUS
  2 THEN
  3     BEGIN
  3     AED_L_FLAGS[AED_V_ACERROR] = 1;
P 3     SIGNAL (AED$_SYNTAX, 2, .TOTAL_SIZE - .CHAR_PROCESSED,
P 3                             AED_A_ACLBUFFER[.CHAR_PROCESSED, 0, 8, 0],
  3                             .LOCAL_STATUS, 0);
  3     RETURN AED$_SYNTAX;
  2     END;
  2 NEW_ACE_SIZE = .NEW_ACE[ACE$B_SIZE];     ! In case of a duplicate
  2
  2 ! Check for a hidden ACE.  Since they are application specific, the ACL
  2 ! editor is not allowed to touch them.
  2
  2 IF .NEW_ACE[ACE$V_HIDDEN]
  2 THEN
  3     BEGIN
  3     AED_L_FLAGS[AED_V_ACERROR] = 1;
  3     SIGNAL (AED$_NOHIDDEN);
  3     RETURN AED$_NOHIDDEN;
  2     END;
  2
  2 ! Check for directory default ACEs.  If the object is not a directory file,
  2 ! note the error.
  2
  2 IF .NEW_ACE[ACE$V_DEFAULT] AND NOT .AED_L_FLAGS[AED_V_DIRECTORY]
  2 THEN
  3     BEGIN
  3     AED_L_FLAGS[AED_V_ACERROR] = 1;
```

```
;    994          1438  3         SIGNAL (AED$_NODEFAULT);
;    995          1439  3         RETURN AED$_NODEFAULT;
;    996          1440  2         END;
;    997          1441  2
;    998          1442  2     ! Check to see if the I am adding an already existing ACE.  If so, warn the
;    999          1443  2     ! user about the duplicate.  This means that the text display actually
;   1000          1444  2     ! reflects the true state of the ACL.
;   1001          1445  2
;   1002          1446  2     CURRENT_LINE = .AED_Q_LINETABLE[LINE_L_FLINK];
;   1003          1447  2     UNTIL .CURRENT_LINE EQLA AED_Q_LINETABLE[LINE_L_FLINK]
;   1004          1448  2     DO
;   1005          1449  3         BEGIN
;   1006          1450  3         IF .CURRENT_LINE[LINE_V_BEGINACE]
;   1007          1451  3         AND .CURRENT_LINE[LINE_L_BINACE] NEQ 0
;   1008          1452  3         THEN IF CH$EQL (.NEW_ACE_SIZE, NEW_ACE,
;   1009          1453  3                         .$BBLOCK[.CURRENT_LINE[LINE_L_BINACE], ACE$B_SIZE],
;   1010          1454  3                         .CURRENT_LINE[LINE_L_BINACE], 0)
;   1011          1455  3             AND .CURRENT_LINE NEQ .AED_L_FIRSTLINE
;   1012          1456  3             THEN
;   1013          1457  4                 BEGIN
;   1014          1458  4                 SIGNAL (AED$_DUPLICATE);
;   1015          1459  4                 DEALLOCATE (.NEW_ACE_SIZE, AED_L_FIRSTLINE[LINE_L_BINACE]);
;   1016          1460  4                 RETURN AED$_DUPLICATE;
;   1017          1461  3                 END;
;   1018          1462  3         CURRENT_LINE = .CURRENT_LINE[LINE_L_FLINK];
;   1019          1463  2         END;
;   1020          1464  2
;   1021          1465  2     ! If there is an ACE already, deallocate it.
;   1022          1466  2
;   1023          1467  2     IF .AED_L_FIRSTLINE[LINE_L_BINACE] NEQ 0
;   1024        P 1468  2     THEN DEALLOCATE (.$BBLOCK[.AED_L_FIRSTLINE[LINE_L_BINACE], ACE$B_SIZE],
;   1025          1469  2                      AED_L_FIRSTLINE[LINE_L_BINACE]);
;   1026          1470  2
;   1027          1471  2     ! So far, so good.  Allocate storage for the binary ACE, and save it.
;   1028          1472  2
;   1029          1473  2     LOCAL_STATUS = ALLOCATE (.NEW_ACE_SIZE, AED_L_FIRSTLINE[LINE_L_BINACE]);
;   1030          1474  2     IF NOT .LOCAL_STATUS
;   1031          1475  2     THEN
;   1032          1476  3         BEGIN
;   1033          1477  3         SIGNAL (.LOCAL_STATUS);
;   1034          1478  3         RETURN .LOCAL_STATUS;
;   1035          1479  2         END;
;   1036          1480  2     CH$MOVE (.NEW_ACE_SIZE, NEW_ACE, .AED_L_FIRSTLINE[LINE_L_BINACE]);
;   1037          1481  2
;   1038          1482  2     RETURN 1;                                       ! End of routine AED_UPDATEACL
;   1039          1483  2
;   1040          1484  1     END;


                                                               .EXTRN  SYS$PARSE_ACL

                                     0FFC 00000                .ENTRY  AED_UPDATEACL, Save R2,R3,R4,R5,R6,R7,R8,-   ; 1324
                                                                       R9,R10,R11
                         5B 00000000G   00  9E 00002           MOVAB   SCR$SET_CURSOR, R11                          ;
                         5A     0000'   CF  9E 00009           MOVAB   AED_L_FLAGS, R10                             ;
                         5E      FDC4   CE  9E 0000E           MOVAB   -572(SP), SP                                 ;
```

```
                          58     04   AC D0 00013      MOVL     TOTAL_SIZE, R8                              : 1379
                                      03 12 00017      BNEQ     1$                                          :
                                    0335 31 00019      BRW      37$                                         :
                          50     44   AA D0 0001C 1$:  MOVL     AED_L_LASTLINE, R0                          : 1384
                       0A A0          02 88 00020      BISB2    #2, 10(R0)                                  :
                                 6C   AA 9F 00024      PUSHAB   AED_A_ACLBUFFER                             : 1385
                       04 AE          58 D0 00027      MOVL     R8, 4(SP)                                   :
                                 04   AE 9F 0002B      PUSHAB   4(SP)                                       :
                00000000G 00          02 FB 0002E      CALLS    #2, LIB$GET_VM                              :
                          56          50 D0 00035      MOVL     R0, VM_STATUS                               :
                          07          56 E9 00038      BLBC     VM_STATUS, 2$                               :
58           00           6E          00 2C 0003B      MOVC5    #0, (SP), #0, R8, @AED_A_ACLBUFFER          :
                                 6C   BA    00040                                                           :
                          59          56 D0 00042 2$:  MOVL     VM_STATUS, LOCAL_STATUS                     :
                          46          59 E8 00045      BLBS     LOCAL_STATUS, 7$                            : 1386
             12           6A          03 E1 00048      BBC      #3, AED_L_FLAGS, 3$                         : 1389
                                      01 DD 0004C      PUSHL    #1                                          :
                                      15 DD 0004E      PUSHL    #21                                         :
                00000000G 00          02 FB 00050      CALLS    #2, SCR$ERASE_PAGE                          :
                                      01 DD 00057      PUSHL    #1                                          :
                                      15 DD 00059      PUSHL    #21                                         :
                          6B          02 FB 0005B      CALLS    #2, SCR$SET_CURSOR                          :
                                      59 DD 0005E 3$:  PUSHL    LOCAL_STATUS                                :
                00000000G 00          01 FB 00060      CALLS    #1, LIB$SIGNAL                              :
             0B           6A          03 E1 00067      BBC      #3, AED_L_FLAGS, 4$                         :
                          7E     20   AA 9A 0006B      MOVZBL   AED_B_COLUMN, -(SP)                         :
                          7E     24   AA 9A 0006F      MOVZBL   AED_B_LINE, -(SP)                           :
                          6B          02 FB 00073      CALLS    #2, SCR$SET_CURSOR                          :
                          07          59 93 00076 4$:  BITB     LOCAL_STATUS, #7                            :
                                      03 12 00079      BNEQ     6$                                          :
                                    02C2 31 0007B 5$:  BRW      35$                                         :
50           59           03          00 EF 0007E 6$:  EXTZV    #0, #3, LOCAL_STATUS, R0                    :
50      14   AA           03          00 ED 00083      CMPZV    #0, #3, AED_L_WORSTERR, R0                  :
                                      F0 18 00089      BGEQ     5$                                          :
                                    02AE 31 0008B      BRW      34$                                         :
                          50     40   AA D0 0008E 7$:  MOVL     AED_L_FIRSTLINE, R0                         : 1392
                          56     04   A0 D0 00092      MOVL     4(R0), CURRENT_LINE                         :
                                      57 D4 00096      CLRL     APPEND_INDEX                                : 1393
                          56          66 D0 00098 8$:  MOVL     (CURRENT_LINE), CURRENT_LINE                : 1396
        6C BA47        14 A6     08   A6 28 0009B      MOVC3    8(CURRENT_LINE), 20(CURRENT_LINE), -        : 1398
                                                                @AED_A_ACLBUFFER[APPEND_INDEX]              :
                          50     08   A6 3C 000A3      MOVZWL   8(CURRENT_LINE), R0                         : 1399
                          57          50 C0 000A7      ADDL2    R0, APPEND_INDEX                            :
                       44 AA          56 D1 000AA      CMPL     CURRENT_LINE, AED_L_LASTLINE                : 1401
                                      E8 12 000AE      BNEQ     8$                                          :
                       34 AE   0200   8F B0 000B0      MOVW     #512, ACE_DESC                              : 1402
                       38 AE     3C   AE 9E 000B6      MOVAB    NEW_ACE, ACE_DESC+4                         : 1403
                       2C AE          58 B0 000BB      MOVW     R8, ACE_TEXT_DESC                           : 1404
                       30 AE     6C   AA D0 000BF      MOVL     AED_A_ACLBUFFER, ACE_TEXT_DESC+4            : 1405
                                      7E D4 000C4      CLRL     -(SP)                                       : 1408
                                 08   AE 9F 000C6      PUSHAB   CHAR_PROCESSED                              :
                                 3C   AE 9F 000C9      PUSHAB   ACE_DESC                                    :
                                 38   AE 9F 000CC      PUSHAB   ACE_TEXT_DESC                               :
                00000000G 00          04 FB 000CF      CALLS    #4, SYS$PARSE_ACL                           :
                          59          50 D0 000D6      MOVL     R0, LOCAL_STATUS                            :
                          70          59 E8 000D9      BLBS     LOCAL_STATUS, 12$                           : 1409
                          6A     40   8F 88 000DC      BISB2    #64, AED_L_FLAGS                            : 1412
```

```
AED$SUBR                                                           N 12
V04-000                                                           15-Sep-1984 23:59:16    VAX-11 Bliss-32 V4.0-742             Page  40
                                                                  14-Sep-1984 11:52:32    [ACLEDT.SRC]AEDSUBR.B32;1                  (9)

                          12            6A             03  E1 000E0         BBC     #3, AED_L_FLAGS, 9$                           : 1415
                                                       01  DD 000E4         PUSHL   #1                                            :
                                                       15  DD 000E6         PUSHL   #21                                           :
                             00000000G  00             02  FB 000E8         CALLS   #2, SCR$ERASE_PAGE                            :
                                                       01  DD 000EF         PUSHL   #1                                            :
                                                       15  DD 000F1         PUSHL   #21                                           :
                                        6B             02  FB 000F3         CALLS   #2, SCR$SET_CURSOR                            :
                                                       7E  D4 000F6 9$:     CLRL    -(SP)                                         :
                                                       59  DD 000F8         PUSHL   LOCAL_STATUS                                  :
                                        50       0C    AE  3C 000FA         MOVZWL  CHAR_PROCESSED, R0                            :
                                                 6C  BA40  9F 000FE         PUSHAB  @AED_A_ACLBUFFER[R0]                          :
                                        50       10    AE  3C 00102         MOVZWL  CHAR_PROCESSED, R0                            :
                          7E            58             50  C3 00106         SUBL3   R0, R8, -(SP)                                 :
                                                       02  DD 0010A         PUSHL   #2                                            :
                                           00000000G   8F  DD 0010C         PUSHL   #AED$_SYNTAX                                  :
                             00000000G  00             06  FB 00112         CALLS   #6, LIB$SIGNAL                                :
                          0B            6A             03  E1 00119         BBC     #3, AED_L_FLAGS, 10$                          :
                                        7E       20    AA  9A 0011D         MOVZBL  AED_B_COLUMN, -(SP)                           :
                                        7E       24    AA  9A 00121         MOVZBL  AED_B_LINE, -(SP)                             :
                                        6B             02  FB 00125         CALLS   #2, SCR$SET_CURSOR                            :
                                           00000000*   8F  D5 00128 10$:    TSTL    #<AED$_SYNTAX&7>                              :
                                                       14  13 0012E         BEQL    11$                                           :
00000000*  8F         14   AA           03             00  ED 00130         CMPZV   #0, #3, AED_L_WORSTERR, #<AED$_SYNTAX&7>      :
                                                       08  18 0013A         BGEQ    11$                                           :
                                   14   AA 00000000G   8F  D0 0013C         MOVL    #AED$_SYNTAX, AED_L_WORSTERR                  :
                                        50 00000000G   8F  D0 00144 11$:    MOVL    #AED$_SYNTAX, R0                              : 1416
                                                       04     0014B         RET                                                   :
                                        57       3C    AE  90 0014C 12$:    MOVB    NEW_ACE, NEW_ACE_SIZE                         : 1418
                          5A       3F   AE             02  E1 00150         BBC     #2, NEW_ACE+3, 16$                            : 1423
                                        6A       40    8F  88 00155         BISB2   #64, AED_L_FLAGS                              : 1426
                          12            6A             03  E1 00159         BBC     #3, AED_L_FLAGS, 13$                          : 1427
                                                       01  DD 0015D         PUSHL   #1                                            :
                                                       15  DD 0015F         PUSHL   #21                                           :
                             00000000G  00             02  FB 00161         CALLS   #2, SCR$ERASE_PAGE                            :
                                                       01  DD 00168         PUSHL   #1                                            :
                                                       15  DD 0016A         PUSHL   #21                                           :
                                        6B             02  FB 0016C         CALLS   #2, SCR$SET_CURSOR                            :
                                           00000000G   8F  DD 0016F 13$:    PUSHL   #AED$_NOHIDDEN                                :
                             00000000G  00             01  FB 00175         CALLS   #1, LIB$SIGNAL                                :
                          0B            6A             03  E1 0017C         BBC     #3, AED_L_FLAGS, 14$                          :
                                        7E       20    AA  9A 00180         MOVZBL  AED_B_COLUMN, -(SP)                           :
                                        7E       24    AA  9A 00184         MOVZBL  AED_B_LINE, -(SP)                             :
                                        6B             02  FB 00188         CALLS   #2, SCR$SET_CURSOR                            :
                                           00000000*   8F  D5 0018B 14$:    TSTL    #<AED$_NOHIDDEN&7>                            :
                                                       14  13 00191         BEQL    15$                                           :
00000000*  8F         14   AA           03             00  ED 00193         CMPZV   #0, #3, AED_L_WORSTERR, #<AED$_NOHIDDEN&7>    :
                                                       08  18 0019D         BGEQ    15$                                           :
                                   14   AA 00000000G   8F  D0 0019F         MOVL    #AED$_NOHIDDEN, AED_L_WORSTERR                :
                                        50 00000000G   8F  D0 001A7 15$:    MOVL    #AED$_NOHIDDEN, R0                            : 1428
                                                       04     001AE         RET                                                   :
                                        5F       3F    AE  E9 001AF 16$:    BLBC    NEW_ACE+3, 20$                                : 1434
                          5A       02   AA             02  E0 001B3         BBS     #2, AED_L_FLAGS+2, 20$                        :
                                        6A       40    8F  88 001B8         BISB2   #64, AED_L_FLAGS                              : 1437
                          12            6A             03  E1 001BC         BBC     #3, AED_L_FLAGS, 17$                          : 1438
                                                       01  DD 001C0         PUSHL   #1                                            :
                                                       15  DD 001C2         PUSHL   #21                                           :
                             00000000G  00             02  FB 001C4         CALLS   #2, SCR$ERASE_PAGE                            :
```

```
                                                        01 DD 001CB         PUSHL    #1                                            :
                                                        15 DD 001CD         PUSHL    #21                                           :
                                         6B             02 FB 001CF         CALLS    #2, SCR$SET_CURSOR                            :
                                            00000000G   8F DD 001D2  17$:   PUSHL    #AED$_NODEFAULT                               :
                             00000000G   00             01 FB 001D8         CALLS    #1, LIB$SIGNAL                                :
                           0B            6A             03 E1 001DF         BBC      #3, AED_L_FLAGS, 18$                          :
                                         7E         20  AA 9A 001E3         MOVZBL   AED_B_COLUMN, -(SP)                           :
                                         7E         24  AA 9A 001E7         MOVZBL   AED_B_LINE, -(SP)                             :
                                         6B             02 FB 001EB         CALLS    #2, SCR$SET_CURSOR                            :
                                            00000000*   8F D5 001EE  18$:   TSTL     #<AED$_NODEFAULT&7>                           :
                                                        14 13 001F4         BEQL     19$                                           :
00000000*  8F        14    AA            03             00 ED 001F6         CMPZV    #0, #3, AED_L_WORSTERR, #<AED$_NODEFAULT&7>   :
                                                        08 18 00200         BGEQ     19$                                           :
                                    14   AA 00000000G   8F D0 00202         MOVL     #AED$_NODEFAULT, AED_L_WORSTERR               :
                                         50 00000000G   8F D0 0020A  19$:   MOVL     #AED$_NODEFAULT, R0                           : 1439
                                                           04 00211         RET                                                    :
                                         56         30  AA D0 00212  20$:   MOVL     AED_Q_LINETABLE, CURRENT_LINE                 : 1446
                                         50         30  AA 9E 00216  21$:   MOVAB    AED_Q_LINETABLE, R0                           : 1447
                                         50             56 D1 0021A         CMPL     CURRENT_LINE, R0                              :
                                                        03 12 0021D         BNEQ     22$                                           :
                                                      0092 31 0021F         BRW      29$                                           :
                                         03         0A  A6 E8 00222  22$:   BLBS     10(CURRENT_LINE), 24$                         : 1450
                                                      0085 31 00226  23$:   BRW      28$                                           :
                                                    0C  A6 D5 00229  24$:   TSTL     12(CURRENT_LINE)                              : 1451
                                                        F8 13 0022C         BEQL     23$                                           :
                                         51             57 9A 0022E         MOVZBL   NEW_ACE_SIZE, R1                              : 1452
                                         50         0C  B6 9A 00231         MOVZBL   @12(CURRENT_LINE), R0                         : 1453
           50              00       3C   AE             51 2D 00235         CMPC5    R1, NEW_ACE, #0, R0, @12(CURRENT_LINE)        : 1452
                                                    0C  B6    0023B                                                                :
                                                        6F 12 0023D         BNEQ     28$                                           :
                                    40   AA             56 D1 0023F         CMPL     CURRENT_LINE, AED_L_FIRSTLINE                 : 1455
                                                        69 13 00243         BEQL     28$                                           :
                           12            6A             03 E1 00245         BBC      #3, AED_L_FLAGS, 25$                          : 1458
                                                        01 DD 00249         PUSHL    #1                                            :
                                                        15 DD 0024B         PUSHL    #21                                           :
                             00000000G   00             02 FB 0024D         CALLS    #2, SCR$ERASE_PAGE                            :
                                                        01 DD 00254         PUSHL    #1                                            :
                                                        15 DD 00256         PUSHL    #21                                           :
                                         6B             02 FB 00258         CALLS    #2, SCR$SET_CURSOR                            :
                                            00000000G   8F DD 0025B  25$:   PUSHL    #AED$_DUPLICATE                               :
                             00000000G   00             01 FB 00261         CALLS    #1, LIB$SIGNAL                                :
                           0B            6A             03 E1 00268         BBC      #3, AED_L_FLAGS, 26$                          :
                                         7E         20  AA 9A 0026C         MOVZBL   AED_B_COLUMN, -(SP)                           :
                                         7E         24  AA 9A 00270         MOVZBL   AED_B_LINE, -(SP)                             :
                                         6B             02 FB 00274         CALLS    #2, SCR$SET_CURSOR                            :
                                            00000000*   8F D5 00277  26$:   TSTL     #<AED$_DUPLICATE&7>                           :
                                                        14 13 0027D         BEQL     27$                                           :
00000000*  8F        14    AA            03             00 ED 0027F         CMPZV    #0, #3, AED_L_WORSTERR, #<AED$_DUPLICATE&7>   :
                                                        08 18 00289         BGEQ     27$                                           :
                                    14   AA 00000000G   8F D0 0028B         MOVL     #AED$_DUPLICATE, AED_L_WORSTERR               :
                           7E       40   AA             0C C1 00293  27$:   ADDL3    #12, AED_L_FIRSTLINE, -(SP)                   : 1459
                                    04   AE             57 9A 00298         MOVZBL   NEW_ACE_SIZE, 4(SP)                           :
                                                    04  AE 9F 0029C         PUSHAB   4(SP)                                         :
                             00000000G   00             02 FB 0029F         CALLS    #2, LIB$FREE_VM                               :
                                         50 00000000G   8F D0 002A6         MOVL     #AED$_DUPLICATE, R0                           : 1460
                                                           04 002AD         RET                                                    :
                                         56             66 D0 002AE  28$:   MOVL     (CURRENT_LINE), CURRENT_LINE                  : 1462
```

```
                                            FF62  31 002B1          BRW      21$                                     ; 1447
                                 50     40    AA  D0 002B4 29$:     MOVL     AED_L_FIRSTLINE, R0                     ; 1467
                                        0C    A0  D5 002B8          TSTL     12(R0)                                  ;
                                              12  13 002BB          BEQL     30$                                     ;
                                        0C    A0  9F 002BD          PUSHAB   12(R0)                                  ; 1469
                            04   AE     0C    B0  9A 002C0          MOVZBL   @12(R0), 4(SP)                          ;
                                        04    AE  9F 002C5          PUSHAB   4(SP)                                   ;
                     00000000G   00           02  FB 002C8          CALLS    #2, LIB$FREE_VM                         ;
               7E           40   AA           0C  C1 002CF 30$:     ADDL3    #12, AED_L_FIRSTLINE, -(SP)             ; 1473
                            04   AE           57  9A 002D4          MOVZBL   NEW_ACE_SIZE, 4(SP)                     ;
                                        04    AE  9F 002D8          PUSHAB   4(SP)                                   ;
                     00000000G   00           02  FB 002DB          CALLS    #2, LIB$GET_VM                          ;
                                 56           50  D0 002E2          MOVL     R0, VM_STATUS                           ;
                                 0E           56  E9 002E5          BLBC     VM_STATUS, 31$                          ;
                                 51           57  9A 002E8          MOVZBL   NEW_ACE_SIZE, R1                        ;
                                 50     40    AA  D0 002EB          MOVL     AED_L_FIRSTLINE, R0                     ;
  51           00                6E           00  2C 002EF          MOVC5    #0, (SP), #0, R1, @12(R0)               ;
                                        0C    B0     002F4                                                           ;
                                 59           56  D0 002F6 31$:     MOVL     VM_STATUS, LOCAL_STATUS                 ;
                                 48           59  E8 002F9          BLBS     LOCAL_STATUS, 36$                       ; 1474
               12                6A           03  E1 002FC          BBC      #3, AED_L_FLAGS, 32$                    ; 1477
                                              01  DD 00300          PUSHL    #1                                      ;
                                              15  DD 00302          PUSHL    #21                                     ;
                     00000000G   00           02  FB 00304          CALLS    #2, SCR$ERASE_PAGE                      ;
                                              01  DD 0030B          PUSHL    #1                                      ;
                                              15  DD 0030D          PUSHL    #21                                     ;
                                 6B           02  FB 0030F          CALLS    #2, SCR$SET_CURSOR                      ;
                                              59  DD 00312 32$:     PUSHL    LOCAL_STATUS                            ;
                     00000000G   00           01  FB 00314          CALLS    #1, LIB$SIGNAL                          ;
               0B                6A           03  E1 0031B          BBC      #3, AED_L_FLAGS, 33$                    ;
                                 7E     20    AA  9A 0031F          MOVZBL   AED_B_COLUMN, -(SP)                     ;
                                 7E     24    AA  9A 00323          MOVZBL   AED_B_LINE, -(SP)                       ;
                                 6B           02  FB 00327          CALLS    #2, SCR$SET_CURSOR                      ;
                                 07           59  93 0032A 33$:     BITB     LOCAL_STATUS, #7                        ;
                                 11               13 0032D          BEQL     35$                                     ;
  50           59                03           00  EF 0032F          EXTZV    #0, #3, LOCAL_STATUS, R0                ;
  50      14   AA                03           00  ED 00334          CMPZV    #0, #3, AED_L_WORSTERR, R0              ;
                                              04  18 0033A          BGEQ     35$                                     ;
                            14   AA           59  D0 0033C 34$:     MOVL     LOCAL_STATUS, AED_L_WORSTERR            ;
                                 50           59  D0 00340 35$:     MOVL     LOCAL_STATUS, R0                        ; 1478
                                                  04 00343          RET                                              ;
                                 51           57  9A 00344 36$:     MOVZBL   NEW_ACE_SIZE, R1                        ; 1480
                                 50     40    AA  D0 00347          MOVL     AED_L_FIRSTLINE, R0                     ;
          0C   B0           3C   AE           51  28 0034B          MOVC3    R1, NEW_ACE, @12(R0)                    ;
                                 50           01  D0 00351 37$:     MOVL     #1, R0                                  ; 1482
                                                  04 00354          RET                                              ; 1484

; Routine Size:  853 bytes,    Routine Base:  $CODE$ + 0984
; 1042          1485  1 GLOBAL ROUTINE AED_SET_CURSOR (LINE, COLUMN) =
; 1043          1486  1
; 1044          1487  1 !++
; 1045          1488  1 !
; 1046          1489  1 ! FUNCTIONAL DESCRIPTION:
; 1047          1490  1 !
; 1048          1491  1 !       This routine sets the desired cursor position.  As a side effect,
; 1049          1492  1 !       it remembers the last position set.  This is to allow screen refresh
; 1050          1493  1 !       to correctly set the cursor position after repainting the screen.
; 1051          1494  1 !
; 1052          1495  1 ! CALLING SEQUENCE:
; 1053          1496  1 !       AED_SET_CURSOR (ARG1, ARG2)
; 1054          1497  1 !
; 1055          1498  1 ! INPUT PARAMETERS:
; 1056          1499  1 !       ARG1: line to which the cursor is set
; 1057          1500  1 !       ARG2: column to which the cursor is set
; 1058          1501  1 !
; 1059          1502  1 ! IMPLICIT INPUTS:
; 1060          1503  1 !       none
; 1061          1504  1 !
; 1062          1505  1 ! OUTPUT PARAMETERS:
; 1063          1506  1 !       none
; 1064          1507  1 !
; 1065          1508  1 ! IMPLICIT OUTPUTS:
; 1066          1509  1 !       AED_B_SAVE_COL: saved column position
; 1067          1510  1 !       AED_B_SAVE_LIN: saves line position
; 1068          1511  1 !
; 1069          1512  1 ! ROUTINE VALUE:
; 1070          1513  1 !       1
; 1071          1514  1 !
; 1072          1515  1 ! SIDE EFFECTS:
; 1073          1516  1 !       none
; 1074          1517  1 !
; 1075          1518  1 !--
; 1076          1519  1
; 1077          1520  2 BEGIN
; 1078          1521  2
; 1079          1522  2 ! Remember the position being set.
; 1080          1523  2
; 1081          1524  2 AED_B_SAVE_LIN = .LINE;
; 1082          1525  2 AED_B_SAVE_COL = .COLUMN;
; 1083          1526  2
; 1084          1527  2 ! Now, set the cursor.
; 1085          1528  2
; 1086          1529  2 SCR$SET_CURSOR (.LINE, .COLUMN);
; 1087          1530  2
; 1088          1531  2 RETURN 1;
; 1089          1532  2
; 1090          1533  1 END;                                        ! End of routine AED_SET_CURSOR


                                       0000 00000        .ENTRY  AED_SET_CURSOR, Save nothing          : 1485
                  0000'  CF      04  AC  90 00002        MOVB    LINE, AED_B_SAVE_LIN                  : 1524
                  0000'  CF      08  AC  90 00008        MOVB    COLUMN, AED_B_SAVE_COL                : 1525
```

```
                              7E        04    AC  7D 0000E          MOVQ    LINE, -(SP)                                   ; 1529
                  00000000G   00              02  FB 00012          CALLS   #2, SCR$SET_CURSOR                            ;
                              50              01  D0 00019          MOVL    #1, R0                                        ; 1531
                                                  04 0001C          RET                                                   ; 1533

; Routine Size:  29 bytes,    Routine Base:  $CODE$ + 0CD9


; 1091            1534  1
; 1092            1535  1 END
; 1093            1536  0 ELUDOM




;                                        PSECT SUMMARY
;
;        Name                         Bytes                        Attributes
;
;  AED_COMMON                              1320  NOVEC,  WRT,  RD ,NOEXE,NOSHR,  LCL,  REL,  OVR,NOPIC,ALIGN(0)
;  $CODE$                                  3318  NOVEC,NOWRT,  RD ,  EXE,NOSHR,  LCL,  REL,  CON,NOPIC,ALIGN(2)




;                                 Library Statistics
;
;                                                     -------- Symbols --------        Pages       Processing
;        File                                         Total    Loaded   Percent        Mapped      Time
;
;  _$255$DUA28:[SYSLIB]LIB.L32;1                      18619        32         0        1000          00:01.8
;  _$255$DUA28:[SYSLIB]TPAMAC.L32;1                      42         0         0          14          00:00.2




;                                        COMMAND QUALIFIERS

;        BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS$:AEDSUBR/OBJ=OBJ$:AEDSUBR MSRC$:AEDSUBR/UPDATE=(ENH$:AEDSUBR)

; Size:          3318 code + 1320 data bytes
; Run Time:         00:50.5
; Elapsed Time:     02:27.8
; Lines/CPU Min:      1824
; Lexemes/CPU-Min: 19712
; Memory Used:  319 pages
; Compilation Complete
```

0004 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

AEDMESSAG
LIS

AEDPROMPT
LIS

SETACL
LIS

AEDSUBR
LIS